

## Oil Types and Capacities

Model	Type Engine Oil	Capacity w/ Filter Qts. (Ltrs)	Capacity w/o Filter Qts. (Ltrs)	Type Hydraulic Oil	Capacity w/ Filter Qts. (Ltrs)
<b>TRIMMERS, CHIPPERS, AND EDGERS</b>					
21C/21S 25S/30S/ 38B TRIMMERS	JOHN DEERE 2 CYCLE OIL 50:1 Ratio when using John Deere 2-cycle oil — 32:1 for all other 2-cycle oils.				
113/172 21HC HEDGE CLIPPER	JOHN DEERE 2 CYCLE OIL 50:1 Ratio when using John Deere 2-cycle oil — 32:1 for all other 2-cycle oils.				
H20S, H20D, H26S, H20DLE, H20SLE HEDGE TRIMMERS	JOHN DEERE PREMIUM 2 CYCLE OIL 50:1 Ratio when using John Deere Premium 2-cycle oil — 32:1 for all other 2-cycle oils.				
E35 LAWN EDGER	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual)		0.53 (0.5)		
SE23, XT120SE LAWN EDGERS	JOHN DEERE 2 CYCLE OIL 50:1 Ratio when using John Deere 2-cycle oil — 32:1 for all other 2-cycle oils.				
CS5/CS8 CHIPPER/SHREDDER	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual)	1.65 (1.6)	1.4 (1.3)		
T23S, XT120, TS26, XT140SB, T26SB, XT140, XT140LE, XT140SELE, XT140SSELE, T30C, T30S, T40SB, T105C, T105S, XT105, XT105SB, XT170, XT170B STRING TRIMMERS	JOHN DEERE 2 CYCLE OIL 50:1 Ratio when using John Deere 2-cycle oil — 32:1 for all other 2-cycle oils.				
<b>POWER BLOWERS</b>					
BH25LE	API Service Classification SF or higher; does not require mixing oil with fuel, but needs oil in its crankcase				
2BV, 2E 2LS, BH30, BP40	JOHN DEERE 2 CYCLE OIL 50:1 Ratio when using John Deere 2-cycle oil — 32:1 for all other 2-cycle oils.				
<b>CHAIN SAWS</b>					
CS36, CS40, CS46, CS52, CS56, CS62, CS71, CS81, J3816	JOHN DEERE PREMIUM 2 CYCLE OIL 50:1 Ratio when using John Deere Premium 2-cycle oil — 32:1 for all other 2-cycle oils.				
200CS, 230CS, 300CS, 550CS	JOHN DEERE PREMIUM 2 CYCLE OIL 50:1 Ratio when using John Deere Premium 2-cycle oil — 32:1 for all other 2-cycle oils.				
450V, 800V, 66SV, 44SV, 46EV, 51SV, 55SV, 65SV	JOHN DEERE 2 CYCLE OIL 50:1 Ratio when using John Deere 2-cycle oil — 32:1 for all other 2-cycle oils.				
28, 30, 40V, 50V, 55V, 60V, 70V, 25EV, 45EV, 55EV, 65EV, 80EV	JOHN DEERE 2 CYCLE OIL 40:1 Ratio when using John Deere 2-cycle oil — 32:1 for all other 2-cycle oils.				
8, 9, 61, 81, 81E, 91	John Deere Chain Saw Oil or equivalent, 16:1				
12, 14, 15, 17, 18, 19, 23	John Deere Chain Saw Oil or equivalent, 1/2 pint to one gallon regular gasoline				
<b>WBRM</b>					
12PC	JOHN DEERE 2 CYCLE OIL 50:1 Ratio when using John Deere 2-cycle oil — 32:1 for all other 2-cycle oils.				
14PZ/14SZ	Torq-Gard Supreme 5W-30		0.625 (0.6)		
14PT/14ST	Torq-Gard Supreme 5W-30		0.625 (0.6)		
14SB/14SE	Torq-Gard Supreme 5W-30		0.625 (0.6)		
14SC/ 14SX	Torq-Gard Supreme 5W-30		0.625 (0.6)		

## Oil Types and Capacities (Continued)

Model	Type Engine Oil	Capacity w/ Filter Qts. (Ltrs)	Capacity w/o Filter Qts. (Ltrs)	Type Hydraulic Oil	Capacity w/ Filter Qts. (Ltrs)
<b>WBRM (Continued)</b>					
21" JS20, JS25, JS30, JS35, JS40, JS45, JS26, JS36, JS46, JS60, JS60H, JS61, JS63, JS28, JS38, JS48	Torq-Gard Supreme 10W-30 or SAE30		0.625 (0.6)		
21" JA60, JA62, JA65	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual)		0.625 (0.6)		
21" JX75, JE75, JX85	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual)		0.625 (0.6)		
22" JM26, JM36, JM46	Preferred Engine Oil: Torq-Gard Supreme, (SAE30 or SAE 10W-30) (See Operator's Manual)		20 OZ (0.6)		
38/48 Inch COMMERCIAL WALK-BEHIND	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual)	1.65 (1.6)	1.4 (1.3)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	2.4 (2.2) No Filter
54 Inch COMMERCIAL WALK-BEHIND	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual)	2 (1.9)	1.75 (1.7)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	2.4 (2.2) No Filter
GS25	Plus-4 10W-40, Torq-Gard Supreme 5W-30 *# Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual)	1.6 (1.5)	1.4 (1.3)		
GS30	Preferred Engine Oil: JD Plus-4	2 (1.9)	1.6 (1.7)		
GS45	Plus-4	1.7 (1.6)	1.4 (1.3)		
GS75	Plus-4 10W-40, Torq-Gard Supreme 5W-30 *# Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual)	2 (1.9)	1.7 (1.6)		
HD45	Plus-4 10W-40, Turf-Gard 10W-30, Plus-4 10W-30 ## Refer to Operator's Manual ### Torq-Gard Supreme 5W-30	1.7 (1.6)	1.4 (1.3)	Hy-Gard (J20C), Turf-Gard 10W-30, Plus-4 10W-30, Torq-Gard Supreme SAE30	
HD75	Plus-4 10W-40, Torq-Gard Supreme 5W-30 *# Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual)	2 (1.9)	1.7 (1.6)	Hy-Gard (J20C), Turf-Gard 10W-30, Plus-4 10W-30, Torq-Gard Supreme SAE30	
7H17, 7H19	John Deere Turf-Gard, John Deere Plus-4	1.7 (1.6)		JD Plus 50 15W-40	3.3 (3.1)
7G18	John Deere Turf-Gard, John Deere Plus-4	2 (1.9)			
G15	John Deere Turf-Gard, John Deere Plus-4	2 (1.9)			
WG32A, WG36A, WG48A	Preferred: John Deere Turf-Gard or Plus-4 and Plus 50 II (See Operator's Manual)	1.8 (1.7)			
WH36A, WH48A, WH52A, WHP36A, WHP48A, WHP52A	Preferred: John Deere Turf-Gard or Plus-4 and Plus 50 II (See Operator's Manual)	1.8 (1.7)		JD Plus 50 15W-40	5 (4.7) Empty 3.7 (3.3) Oil Change Only
21" WE80, WE85	John Deere Turf-Gard, John Deere Plus-4	2 (1.9)			
<b>SABRE WALK BEHIND MOWERS</b>					
M10, M21, M23	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual)		0.625 (0.6)		
14PS, 14SS	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual)		0.625 (0.6)		
<b>SCOTTS WALK BEHIND MOWERS</b>					
SP6211, SP6213	Torq-Gard Supreme (SAE 30) ( 32-122 Degrees)		16 oz. (0.47)		
<b>SNOWBLOWERS/THROWERS</b>					
TRS21	JOHN DEERE 2 CYCLE OIL 50:1				
TRS22	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual)		19 oz. (0.6)		

## Oil Types and Capacities (Continued)

Model	Type Engine Oil	Capacity w/ Filter Qts. (Ltrs)	Capacity w/o Filter Qts. (Ltrs)	Type Hydraulic Oil	Capacity w/ Filter Qts. (Ltrs)
<b>SNOWBLOWERS/THROWERS (Continued)</b>					
TRS24/TRX24	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JO Plus-4 (See Operator's Manual)		24 oz. (0.72)		
TRS26/TRX26	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JO Plus-4 (See Operator's Manual)		26 oz. (0.8)		
TRS27/TRS32	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JO Plus-4 (See Operator's Manual)		26 oz. (0.8)		
524, 524O	Torq-Gard Supreme - 5W-30		0.65 (0.6)		
724O	Torq-Gard Supreme - 5W-30		0.65 (0.6)	See Operator's Manual	
526, 726, 732	Torq-Gard Supreme		19 oz. (0.56)		
826, 832, 1032	Torq-Gard Supreme		24 oz. (0.71)		
826O	Torq-Gard Supreme - 5W-30		0.8 (0.77)		
828O	Torq-Gard Supreme - 5W-30		0.8 (0.77)		
924OE	Torq-Gard Supreme - SAE 5W-30, or Uni-Gard - SAE 5W-30		0.8 (0.77)		
1032O	Torq-Gard Supreme 5W-30		0.8 (0.77)		
1128OE, 1128OOE	Torq-Gard Supreme - SAE 5W-30, or Uni-Gard - SAE 5W-30		0.8 (0.77)		
1332OOE	Torq-Gard Supreme - SAE 5W-30, or Uni-Gard - SAE 5W-30		1.0 (0.95)		
320	JOHN OEERE 2 CYCLE OIL 50:1				
322	JOHN OEERE 2 CYCLE OIL 32:1				
520	Plus-4		21 oz. (0.62)		
522	Torq-Gard Supreme		21 oz. (0.62)		
524	Torq-Gard Supreme		21 oz. (0.62)		
<b>RIDING MOWERS</b>					
55	Torq-Gard 30		27 oz. (0.81)		
56	Torq-Gard 30		27 oz. (0.81)		
57	Torq-Gard Supreme 30		27 oz. (0.81)		
65	Torq-Gard Supreme 30		27 oz. (0.81)		
68	Torq-Gard Supreme 30		36 oz. (1.06)		
R70	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JO Plus-4 (See Operator's Manual)		1.15 (1.1)		
R72	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JO Plus-4 (See Operator's Manual)		1.15 (1.1)		
S80	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JO Plus-4 (See Operator's Manual)		1.15 (1.1)		
S82	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JO Plus-4 (See Operator's Manual)		1.15 (1.1)		
R92	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JO Plus-4 (See Operator's Manual)		1.5 (1.4)		
S92	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JO Plus-4 (See Operator's Manual)		1.5 (1.4)		
RX63	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JO Plus-4 (See Operator's Manual)		1.5 (1.4)		
RX73	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JO Plus-4 (See Operator's Manual)		1.15 (1.1)		
RX75	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JO Plus-4 (See Operator's Manual)		1.15 (1.1)		

## Oil Types and Capacities (Continued)

Model	Type Engine Oil	Capacity w/ Filter Qts. (Ltrs)	Capacity w/o Filter Qts. (Ltrs)	Type Hydraulic Oil	Capacity w/ Filter Qts. (Ltrs)
<b>RIDING MOWERS (Continued)</b>					
SX75	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JO Plus-4 (See Operator's Manual)		1.15 (1.1)		
RX95	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JO Plus-4 (See Operator's Manual)		1.5 (1.4)		
SX95	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JO Plus-4 (See Operator's Manual)		1.5 (1.4)		
GX70	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JO Plus-4 (See Operator's Manual)		1.15 (1.1)		
GX75	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JO Plus-4 (See Operator's Manual)		1.15 (1.1)		
GX95	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JO Plus-4 (See Operator's Manual)		1.5 (1.4)		
SRX75	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JO Plus-4 (See Operator's Manual)		1.15 (1.1)		
SRX95	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JO Plus-4 (See Operator's Manual)		1.5 (1.4)		
<b>LAWN TRACTORS</b>					
60, 70	Torq-Gard Supreme 30		0.75 (0.71)	AM30200M	1.5 (1.4)
100	Torq-Gard Supreme 30		1.125 (1.06)		
LX172	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JO Plus-4 (See Operator's Manual)	1.7 (1.6)			
LX173	Plus-4 SAE 10W-40, Turf-Gard SAE 10W-30, Plus-4 SAE 10W-30	1.9 (1.8)		SAE 5W-30 or SAE 10W-30	
LX176	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JO Plus-4 (See Operator's Manual)	1.7 (1.6)			
LX178	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JO Plus-4 (See Operator's Manual)	1.8 (1.7)	1.6 (1.5)		
LX186	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JO Plus-4 (See Operator's Manual)	2 (1.9)			
LX188	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JO Plus-4 (See Operator's Manual)	1.8 (1.7)	1.6 (1.5)		
LX255	Plus-4 10W-40, Torq-Gard Supreme 5W-30	2 (1.9)	1.75 (1.65)	Turf-Gard 10W-30, Torq-Gard Supreme 5W-30 or Hy-Gard Transmission Oil (J20C)	2.7 (2.5)
LX266	Turf-Gard SAE 10W-30, Plus-4 - SAE 10W-30, Torq-Gard Supreme - SAE 30	2 (1.9)	1.75 (1.65)	Turf-Gard 10W-30, Torq-Gard Supreme 5W-30 or Hy-Gard Transmission Oil (J20C)	4.6 (4.4)
LX277	Plus-4 10W-40, Torq-Gard Supreme 5W-30	1.8 (1.7)	1.6 (1.5)	Turf-Gard 10W-30, Torq-Gard Supreme 5W-30 or Hy-Gard Transmission Oil (J20C)	2.7 (2.5)
LX279	Plus-4 10W-40, Torq-Gard Supreme 5W-30	1.9 (1.8)	1.6 (1.5)	Turf-Gard 10W-30, Torq-Gard Supreme 5W-30 or Hy-Gard Transmission Oil (J20C)	2.7 (2.5)
LX280, LX289	Plus-4 SAE 10W-40, Turf-Gard SAE 10W-40	1.9 (1.8)		5W-30 or 10W-30	See Operator's Manual
LX288	Plus-4 10W-40, Torq-Gard Supreme 5W-30	1.9 (1.8)	1.5 (1.4)	Turf-Gard 10W-30, Torq-Gard Supreme 5W-30 or Hy-Gard Transmission Oil (J20C)	2.7 (2.5)
SST15	Turf-Gard, Plus-4	1.9 (1.8)	1.5 (1.4)	Low Viscosity Hy-Gard (J200)	See Operator's Manual
SST16, SST18	Turf-Gard, Plus-4	1.6 (1.5)	1.5 (1.4)		
STX30	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JO Plus-4 (See Operator's Manual)	2 (1.9)	1.75 (1.6)		

## Oil Types and Capacities (Continued)

Model	Type Engine Oil	Capacity w/ Filter Qts. (Ltrs)	Capacity w/o Filter Qts. (Ltrs)	Type Hydraulic Oil	Capacity w/ Filter Qts. (Ltrs)
<b>LAWN TRACTORS (Continued)</b>					
STX38/STX46	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual)	2 (1.9)	1.75 (1.6)		
LT133	Plus-4 10W-40, Turf-Gard 10W-30, Plus-4 10W-30		1.9 (1.8)		
LT150, LT160	Turf-Gard or Plus-4		1.5 (1.4)		
LT155	Plus-4 10W-40, Turf-Gard 10W-30, Plus-4 10W-30		1.9 (1.8)		
LT166	Torq-Gard Supreme SAE30, Torq-Supreme 5W-30		1.8 (1.7)		
LTR155, LTR166, LTR180	Turf-Gard, Plus-4	2.1 (2)	1.9 (1.8)		
LT170, LT180	Turf-Gard or Plus-4		1.6 (1.5)		
LT190	Plus-40 SAE 10W-40, Turf-Gard SAE 10W-30	1.6 (1.5)	1.5 (1.4)		
102, 115	Turf-Gard or Plus-4	1.5 (1.4)			
108	Torq-Gard Supreme (SAE20)		1.125 (1)	Hy-Gard	0.75 (0.70)
111	Torq-Gard Supreme SAE30, Torq-Supreme 5W-30		1.5 (1.4)	Hy-Gard	0.75 (0.70)
111H	Torq-Gard Supreme SAE30, Torq-Supreme 5W-30		1.5 (1.4)	Hy-Gard	1.125 (1.1)
112L	Torq-Gard Supreme SAE30, Torq-Supreme 5W-30	1.8 (1.7)	1.5 (1.4)	Hy-Gard	1.125 (1.1)
116	Torq-Gard Supreme SAE30, Torq-Supreme 5W-30		1.5 (1.4)	Hy-Gard	0.74 (0.70)
116H	Torq-Gard Supreme SAE30, Torq-Supreme 5W-30		1.5 (1.4)	Hy-Gard	1.16 (1.1)
125, 135, 145, 155C, 190C	Turf-Gard or Plus-4	2 (1.9)			
130	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual)		1.16 (1.1)	See Operator's Manual	1.16 (1.1)
160	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual)	1.6 (1.5)	1.5 (1.4)	See Operator's Manual	1.16 (1.1)
165	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual)	1.6 (1.5)	1.5 (1.4)	See Operator's Manual	0.74 (0.70)
170	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual)	1.8 (1.7)	1.4 (1.3)	See Operator's Manual	0.74 (0.70)
175	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual)	1.8 (1.7)	1.4 (1.3)	See Operator's Manual	0.74 (0.70)
180	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual)	2 (1.9)	1.7 (1.6)	See Operator's Manual	1.16 (1.1)
185	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual)	2 (1.9)	1.7 (1.6)	See Operator's Manual	0.74 (0.70)
L100	Turf-Gard or Plus-4		1.5 (1.4)	10W-30 or Hy-Gard (J20C)	
L108	Turf-Gard or Plus-4		See Operator's Manual	10W-30 or Hy-Gard (J20C)	
L111	Turf-Gard or Plus-4	2 (1.9)		10W-30 or Hy-Gard (J20C)	
L110, L118, L120, L130	Turf-Gard or Plus-4	2 (1.9)	1.9 (1.8)	10W-30 or Hy-Gard (J20C)	
LA100, LA105, LA110, LA115, LA125	Turf-Gard or Plus-4	1.5 (1.4)	1.5 (1.4) (LA100)		
X110, X120	Turf-Gard or Plus-4	1.5 (1.4) (X120)	1.5 (1.4) (X110)		
X130R, X135R, X155R, X165	Turf-Gard or Plus-4	2.0 (1.9)			
X125, x135	Turf-Gard or Plus-4	1.5 (1.4)			

## Oil Types and Capacities (Continued)

Model	Type Engine Oil	Capacity w/ Filter Qts. (Ltrs)	Capacity w/o Filter Qts. (Ltrs)	Type Hydraulic Oil	Capacity w/ Filter Qts. (Ltrs)
<b>LAWN &amp; GARDEN TRACTORS</b>					
LA120, LA130, LA135, LA140, LA145, LA150, LA155, LA165, LA175, X140	Turf-Gard or Plus-4	2 (1.9)			
0100, 0105, 0110, 0120	Turf-Gard, Plus-4 or Plus-50 II	1.5 (1.4)			
0125, 0130, 0140, 0150, 0160, 0170	Turf-Gard, Plus-4 or Plus-50 II	2 (1.9)			
110, 110H	AM30200M		1.25 (1.2)		
112, 112H	AM30200M		1.25 (1.2)		
112 (Kohler)	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)		1.5 (1.4)		
120	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)		1.5 (1.4)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	5 (4.7)
140	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)		1.5 (1.4)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	5 (4.7)
200	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)		1.25 (1.2)		
208	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)		1.25 (1.2)		
210 (-95261)	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)		1.5 (1.4)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	2 (1.6)
212 (-95261)	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)		1.5 (1.4)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	2 (1.6)
214 (-95261)	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)		1.5 (1.4)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	2 (1.6)
216 (-95261)	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)		1.5 (1.4)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	2 (1.6)
210 (95262-)	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)		2 (1.9)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	2 (1.6)
212 (95262-)	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)		2 (1.9)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	2 (1.6)
214 (95262-)	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)		2 (1.9)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	2 (1.6)
216 (95262-)	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)		2 (1.9)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	2 (1.6)
240	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	1.9 (1.8)	1.4 (1.3)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	2.6 (2.5)
245	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	1.75 (1.7)	1.35 (1.3)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	2.6 (2.5)
260	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	2.1 (2)	1.7 (1.6)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	2.6 (2.5)
265	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	2.1 (2)	1.7 (1.6)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	2.6 (2.5)
285	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)		2 (1.9)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	2.6 (2.5)
GT225	U.S. Torq-Gard Supreme 5W-30	1.9 (1.8)	1.4 (1.3)	Low Viscosity Hy-Gard (J200)	5.1 (4.87)
GT235	U.S. Torq-Gard Supreme 5W-30	1.7 (1.65)	1.4 (1.3)	Low Viscosity Hy-Gard (J200)	5.1 (4.87)
GT245, GT235E	Turf-Gard, Plus-4		1.8 (1.7)	Hy-Gard (J20C)	2.5 (2.4)

## Oil Types and Capacities (Continued)

Model	Type Engine Oil	Capacity w/ Filter Qts. (Ltrs)	Capacity w/o Filter Qts. (Ltrs)	Type Hydraulic Oil	Capacity w/ Filter Qts. (Ltrs)
<b>LAWN &amp; GARDEN TRACTORS (Continued)</b>					
GT242	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	1.7 (1.6)	1.35 (1.3)	Low Viscosity Hy-Gard (J200)	3.4 (3.3) No Filter
GT262	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	1.9 (1.8)	1.7 (1.6)	Low Viscosity Hy-Gard (J200)	3.4 (3.3)
GT275	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	1.9 (1.8)	1.7 (1.6)	Low Viscosity Hy-Gard (J200)	3.4 (3.3)
GX255	Turf-Gard or Plus-4	1.8 (1.7)	1.6 (1.5)	Low Viscosity Hy-Gard (J200)	5 (4.7)
GX325, GX335, GX345	Turf-Gard SAE 10W-30, Plus-4 - SAE 10W-30, Uni-Gard - SAE 5W-30	1.8 (1.7)	2 (1.9)	Low Viscosity Hy-Gard (J200)	4.6 (4.4)
GX355	Plus-50 - SAE 15W-40	2.4 (2.3)	2.2 (2.1)	Low Viscosity Hy-Gard (J200)	4.6 (4.4)
G100	Turf-Gard or Plus-4	2.1 (2)	1.7 (1.6)	5W-50 Synthetic Oil	2.2 (2.1)
G110	Turf-Gard or Plus-4	2 (1.9)	1.9 (1.8)	5W-50 Synthetic Oil	
300	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)		1.5 (1.4)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	5 (4.7)
312	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)		1.5 (1.4)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	5 (4.7)
314	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)		1.5 (1.4)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	5 (4.7)
316	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	1.75 (1.6)	1.5 (1.4)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	5 (4.7)
316 (2 CYL)	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)		1.7 (1.6)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	5 (4.7)
317 (17HP)	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)		1.75 (1.6)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	5 (4.7)
317	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)		1.75 (1.6)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	5 (4.7)
318	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	1.75 (1.6)	1.5 (1.5)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	5 (4.7)
320	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	2 (1.9)	1.8 (1.7)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	2.6 (2.5)
322	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	2.6 (2.5)	3.1 (3)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	4.6 (4.4)
325	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	1.9 (1.8)	1.7 (1.6)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	4.7 (4.3)
330	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual)		3.1 (3)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	4.6 (4.4)
332	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual)	2.6 (2.5)	3.6 (3.4)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	5 (4.7)
335	Turf-Gard, Plus-4	1.8 (1.7)	1.7 (1.6)	Low Viscosity Hy-Gard (J200)	4.7 (4.3)
345	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	2 (1.9)	1.8 (1.7)	Low Viscosity Hy-Gard (J200)	4.7 (4.3)
3550	Plus 50 15W-40 (-15°-50° C), Torq-Gard Supreme 5W-30 (-30°-30° C)	2.4 (2.27)	2.2 (2.08)	Low Viscosity Hy-Gard (J200)	4.7 (4.3)
400	Preferred Engine Oil: Turf-Gard, Torq-Gard <sup>3</sup> (See Operator's Manual)		3 (2.8)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	5.5 (5.17)
420	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	1.75 (1.6)	1.5 (1.4)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	5 (4.7)

## Oil Types and Capacities (Continued)

Model	Type Engine Oil	Capacity w/ Filter Qts. (Ltrs)	Capacity w/o Filter Qts. (Ltrs)	Type Hydraulic Oil	Capacity w/ Filter Qts. (Ltrs)
<b>LAWN &amp; GARDEN TRACTORS (Continued)</b>					
425	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	1.5 (1.4)		Low Viscosity Hy-Gard (J200)	6 (5.7)
430	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual)	3.1 (3)	2.6 (2.5)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	4.6 (4.4)
445	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	1.5 (1.4)		Low Viscosity Hy-Gard (J200)	7 (6.6)
455	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	3 (2.8)		Low Viscosity Hy-Gard (J200)	7 (6.6)
X300, X300R, X304, X310	Turf-Gard, or Plus-4	1.8 (1.7)		Low Viscosity Hy-Gard (J200)	3.0 (2.8)
X320, X324, X340, X360	Turf-Gard, or Plus-4	2.2 (2.1)		Low Viscosity Hy-Gard (J200)	3.0 (2.8)
X465	Turf-Gard, or Plus-4		1.8 (1.7)	Low Viscosity Hy-Gard (J200)	7 (6.6) 2W-Steer 6 (5.6) All Wheel Steer
X475	Turf-Gard, or Plus-4		2.1 (2)	Low Viscosity Hy-Gard (J200)	7 (6.6) 2W-Steer 6 (5.6) All Wheel Steer
X485	Turf-Gard, or Plus-4		2.1 (2)	Low Viscosity Hy-Gard (J200)	7 (6.6) 2W-Steer 6 (5.6) All Wheel Steer
X495 X595	Plus-50, Plus-4, Torq-Gard Supreme		3 (2.8)	Low Viscosity Hy-Gard (J200)	7 (6.6)
X585	Turf-Gard, or Plus-4		2.1 (2)	Low Viscosity Hy-Gard (J200)	7 (6.6)
X500, X530, X534	Turf-Gard, or Plus-4	2.1 (1.9)		Low Viscosity Hy-Gard (J200)	5.6 (5.3)
X520, X540	Turf-Gard, or Plus-4	2.4 (2.3)		Low Viscosity Hy-Gard (J200)	5.6 (5.3)
X700, X720, X724, X728, X729	Plus-4 SAE 10W-40, or Torq-Gard Supreme SAE 5W-30	1.9 (1.8)		Low Viscosity Hy-Gard (J200)	7 (6.6) 2W-Steer 6 (5.6) All Wheel Steer 7.2 (6.8) HFW0 5.3 (5.0) Full time HFW0 (Front)
X710, X730, X734, X738, X739	Turf-Gard, Plus-4, or Plus-50 II	1.9 (1.8)		Low Viscosity Hy-Gard (J200)	7 (6.6) 2W-Steer 6 (5.6) All Wheel Steer 7.2 (6.8) HFW0 5.3 (5.0) Full time HFW0 (Front)
X754, X758, X750	Plus-50 SAE 15W-40, or Torq-Gard Supreme SAE 5W-30	3.4 (3.2)		Low Viscosity Hy-Gard (J200)	7 (6.6) 2W-Steer 6 (5.6) All Wheel Steer 7.2 (6.8) HFW0 5.3 (5.0) Full time HFW0 (Front)
X740, X744, X748	Plus-50 SAE 15W-40, or Torq-Gard Supreme SAE 5W-30	2.25 (2.12)		Low Viscosity Hy-Gard (J200)	7 (6.6) 2W-Steer 6 (5.6) All Wheel Steer
X749	Plus-50, Plus 4 or Torq-Gard	2.75 (2.6)			
<b>SABRE LAWN TRACTORS</b>					
1338G	Torq-Gard Supreme SAE30, Torq-Supreme 5W-30	1.75 (1.6)	1.5 (1.42)		
1438G	Torq-Gard Supreme SAE30, Torq-Supreme 5W-30	1.75 (1.6)	1.5 (1.42)		
14.542GS	Turf-Gard, or Plus-4		1.5 (1.4)	Low Viscosity Hy-Gard (J200)	
1438HS	Plus-4 or Torq-Gard Supreme 5W-30	1.7 (1.6)	1.5 (1.42)	10W-30 Engine Oil Type C0	2.5 (2.36)
15HP GEAR	Torq-Gard Supreme SAE30, Torq-Supreme 5W-30	1.75 (1.6)	1.5 (1.42)		
15HP HY0RO	Torq-Gard Supreme SAE30, Torq-Supreme 5W-30	1.75 (1.6)	1.5 (1.42)	10W-30 Type C0	2.4 (2.5)
15.5 HP GEAR	Torq-Gard Supreme SAE30, Torq-Supreme 5W-30	1.75 (1.6)	1.5 (1.42)		
15.5 HP HY0RO	Torq-Gard Supreme SAE30, Torq-Supreme 5W-30	1.75 (1.6)	1.5 (1.42)	10W-30 Type C0	2.4 (2.5)

## Oil Types and Capacities (Continued)

Model	Type Engine Oil	Capacity w/ Filter Qts. (Ltrs)	Capacity w/o Filter Qts. (Ltrs)	Type Hydraulic Oil	Capacity w/ Filter Qts. (Ltrs)
<b>SABRE LAWN TRACTORS (continued)</b>					
16 HP GEAR	Torq-Gard Supreme SAE30, Torq-Supreme 5W-30	1.75 (1.6)	1.5 (1.42)		
16 HP HYDRO	Torq-Gard Supreme SAE30, Torq-Supreme 5W-30	1.75 (1.6)	1.5 (1.42)	10W-30 Type CD	2.4 (2.5)
16 HP V-TWIN	Torq-Gard Supreme SAE30, Torq-Supreme 5W-30	1.75 (1.6)	1.5 (1.42)		
1642HS	Turf-Gard or Plus-4		1.5 (1.4)	Low Viscosity Hy-Gard (J20D)	
<b>SABRE YARD TRACTORS</b>					
17 HP GEAR	Plus-4	1.7 (1.6)	1.5 (1.4)		
17 HP HYDRO	Plus-4	1.7 (1.6)	1.5 (1.4)		
17.542HS	Turf-Gard or Plus-4	2 (1.9)	1.9 (1.8)	Low Viscosity Hy-Gard (J20D)	
18 HP GEAR	Torq-Gard Supreme SAE30, Torq-Supreme 5W-30	1.75 (1.6)	1.5 (1.42)		
18 HP HYDRO	Torq-Gard Supreme SAE30, Torq-Supreme 5W-30	1.75 (1.6)	1.5 (1.42)	5W-50 Synthetic Oil	3.6 (3.4)
18 HP V-TWIN	Plus-4/ Torq-Gard Supreme 5W-30	1.7 (1.6)	1.25 (1.19)	10W-30 Engine Oil Type CD	2.5 (2.36)
1948	Torq-Gard or Plus-4	2 (1.9)	1.9 (1.8)	Refer to Operator's Manual	Refer to Operator's Manual
2046	Turf-Gard or Plus-4	2 (1.9)	1.9 (1.8)	Refer to Operator's Manual	Refer to Operator's Manual
<b>SABRE YARD &amp; GARDEN TRACTORS</b>					
2148, 2354	Torq-Gard, Plus-4	2 (1.9)	1.9 (1.8)	Refer to Operator's Manual	Refer to Operator's Manual
20 HP	Torq-Gard Supreme SAE30, Torq-Supreme 5W-30	1.63 (1.54)	1.5 (1.42)	5W-50 Synthetic Oil	3.6 (3.4)
22 HP	Plus-4	1.63 (1.54)	1.5 (1.42)	5W-50 Synthetic Oil	3.6 (3.4)
25 HP	Torq-Gard Supreme SAE30, Torq-Supreme 5W-30	1.75 (1.6)	1.5 (1.42)	5W-50 Synthetic Oil	3.6 (3.4)
<b>SCOTTS LAWN AND GARDEN TRACTORS</b>					
L17.542	Turf-Gard or Plus-4	2 (1.9)	1.9 (1.8)	Low Viscosity Hy-Gard (J20D)	
L1742	Turf-Gard or Plus-4		1.5 (1.4)	Low Viscosity Hy-Gard (J20D)	
L2048	Turf-Gard or Plus-4	2 (1.9)	1.9 (1.7)	Low Viscosity Hy-Gard (J20D)	
L2548	Turf-Gard or Plus-4	2 (1.9)	1.9 (1.8)	Low Viscosity Hy-Gard (J20D)	
S1642	Above 40°F - 30W, otherwise 10W-30	2 (1.9)	1.9 (1.8)	10W-30 Engine Oil Type CD	2.5 (2.36)
S1742	Above 40°F - 30W otherwise 10W-30	1.75 (1.6)	1.5 (1.42)	10W-30 Engine Oil Type CD	2.5 (2.36)
S2046	Above 40°F - 30W otherwise 10W-30	2 (1.9)	1.9 (1.8)	10W-30 Engine Oil Type CD	2.5 (2.36)
S2048	10W-30	2.1 (2)	1.7 (1.6)	5W-30 or 10W-30 Engine Oil	3.2 (2.97) (incl. Reservoir)
2348	Turf-Gard or Plus-4	2 (1.9)		Refer to Operator's Manual	Refer to Operator's Manual
S2554	10W-30	2.1 (2)	1.7 (1.6)	5W50 Synthetic Engine Oil	3.2 (2.97) (Incl. Reservoir)
<b>FRONT MOUNT MOWERS</b>					
F510	5W-30 Year Round or SAE 30 Summer and Turf-Gard (See Operator's Manual)	2.5 (2.4)		Turf-Gard 10W-30 or Torq-Gard Supreme 5W-30	
F525	5W-30 Year Round or SAE 30 Summer and Turf-Gard (See Operator's Manual)	2.5 (2.4)		Turf-Gard 10W-30 or Torq-Gard Supreme 5W-30	
F710	5W-30 Year Round or SAE 30 Summer and Turf-Gard (See Operator's Manual)		1.7 (1.6)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	2.5 (2.4)
F725	5W-30 Year Round or SAE 30 Summer and Turf-Gard (See Operator's Manual)		2 (1.9)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	2.5 (2.4)
F735 (Diesel)	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual)		2 (1.9)	Hy-Gard (J20C)	4.7 (4.5)
F910	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual)	2 (1.9)	1.5 (1.4)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	4.6 (4.4)

## Oil Types and Capacities (Continued)

Model	Type Engine Oil	Capacity w/ Filter Qts. (Ltrs)	Capacity w/o Filter Qts. (Ltrs)	Type Hydraulic Oil	Capacity w/ Filter Qts. (Ltrs)
<b>FRONT MOUNT MOWERS (Continued)</b>					
F911	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JO Plus-4 (See Operator's Manual)		1.6 (1.5)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	4.6 (4.4)
F912	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JO Plus-4 (See Operator's Manual)	2.5 (2.4)	2 (1.9)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	4.6 (4.4)
F915	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual)	2.6 (2.5)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	4.6 (4.4)
F925	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JO Plus-4 (See Operator's Manual)	3.3 (3.1)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	4.6 (4.4)
F930	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual)	3 (2.9)	2.5 (2.4)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	4.6 (4.4)
F932	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual)	3.5 (3.3)	2.5 (2.4)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	4.6 (4.4)
F935	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual)	3.3 (3.1)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	4.6 (4.4)
F1145	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JO Plus-4 (See Operator's Manual)	4.1 (3.9)		Low Viscosity Hy-Gard (J200)	4.5 Gal. (17)
1420, 1435	Torq-Gard Supreme, Plus-4, Plus-50	3.3 (3.1)		Hy-Gard (J20C)	9 (8.5) 2WO 9.2 (8.7) 4WO
1445	Torq-Gard Supreme, Plus-4, Plus-50	3.8 (3.6)		Hy-Gard (J20C)	9 (8.5) 2WO 9.2 (8.7) 4WO
1545	Torq-Gard Supreme, Plus-4, Plus-50	3.8 (3.6)		Hy-Gard (J20C)	11 (10.4)
1565	Torq-Gard Supreme, Plus-4, Plus-50	5.1 (4.8)		Hy-Gard (J20C)	11 (10.4)
1600, 1620	Torq-Gard Supreme, Plus-50	7 (6.6)		Hy-Gard (J20C)	3.5 Gal. (13.3)
1600 Turbo and 1600 Turbo Series II	Torq-Gard Supreme, Plus-50	7 (6.6)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	3.5 Gal. (13.3)
<b>ZTRAKM MOWERS</b>					
F620	Plus-4 10W-40, Turf-Gard 10W-30, Plus-4 10W-30	2.5 (2.4)	2.3 (2.2)	Plus-4 SAE 10W-40	2 Gal. (7.6)
F680	Turf-Gard, Torque Gard Supreme	2.1 (2)	1.5 (1.4)	Plus-4 SAE 10W-40	6 (5.7)
F687	Turf-Gard (SAE 10W-30), Torq-Gard Supreme (SAE 5W-30)	1.5 (1.4)		Turf-Gard - SAE 10W-40	6 (5.7)
M653, M655, M665	Turf-Gard 10W-30, Plus-4 10W-30	2.1 (2)		JO Plus 50 15W-40	8 (7.6)
717, 727	John Oeere Turf-Gard, John Oeere Plus-4	1.8 (1.7)	1.5 (1.4)	JO Plus 50 0W-40 Synthetic Blend	3.5 (3.3)
717A, 727A	Turf-Gard, Plus-4	1.8 (1.7)		JO Plus 50 15W-40, SAE15W-40	10.5 (9.9)
717E	Turf-Gard, Plus-4	1.8 (1.7)		JO Plus 50 15W-40	9.5 (9)
Z225, Z245 EZtrak	Turf-Gard, Plus-4		1.4 (1.5)	JO Plus 50 15W-40, 20W-50	
Z235, Z255 EZtrak	John Oeere Turf-Gard, Plus-4, or Plus-50 II	2 (1.9)			
Z425, Z445, Z465 EZtrak	Turf-Gard, Plus-4	2.0 (1.9) (SN -150000) 1.85 (1.75) (SN 150001-)	1.9 (1.8)	JO Plus 50 15W-40, 20W-50	1.6-1.7 (1.5-1.6)
Z645, Z655, Z665	John Oeere Turf-Gard, John Oeere Plus-4	1.6 (1.7) (SN -130000) 2.0 (1.9) (SN 130001-150000) 2.2 (2.1) (SN 150001-)		Low Viscosity Hy-Gard (J200)	2.0 Gal. (7.57)
737, 757	John Oeere Turf-Gard, John Oeere Plus-4	1.5 (1.4)		JO Plus 50 15W-40	10 (9.5)
777, 797	Turf-Gard, Plus-4	2.1 (2)		JO Plus 50 15W-40, SAE15W-40	10 (9.5)
997	Plus-50 SAE 15W40, Torq-Gard Supreme SAE 5W-30	3.8 (3.6)		Hy-Gard (J20C)	6.3 Gal. (24) (Incl. Reservoir)

## Oil Types and Capacities (Continued)

Model	Type Engine Oil	Capacity w/ Filter Qts. (Ltrs)	Capacity w/o Filter Qts. (Ltrs)	Type Hydraulic Oil	Capacity w/ Filter Qts. (Ltrs)
<b>ZTRAKTM MOWERS (continued)</b>					
Z510A, Z520A	John Deere Turf-Gard, John Deere Plus-4	1.9 (1.8)		Hy-Gard (J20C)	2.9 (2.7)
Z710A, Z720A	John Deere Turf-Gard, John Deere Plus-4, John Deere PLUS-50 II	1.9 (1.8)		Hy-Gard (J20C)	4.5 (4.25)
Z810A, Z820A	John Deere Turf-Gard, John Deere Plus-4	1.9 (2.0)		Hy-Gard (J20C)	2.9 (2.7)
Z830A, Z840A, Z850A, Z860A	John Deere Turf-Gard, John Deere Plus-4	2.1 (2)		Hy-Gard (J20C)	2.9 (2.7)
Z910A, Z920A, Z925A, Z925A EFI, Z930A, Z950A, Z960A, Z970A	John Deere Turf-Gard, John Deere Plus-4	2.1 (2)		Hy-Gard (J20C)	4.5 (4.25)
Z915B	John Deere Turf-Gard, John Deere Plus-4, or John Deere Plus-50 II	1.7 - 1.9 (1.6 - 1.8)		Hy-Gard (J20C)	4 (3.75)
Z920M, Z920R	John Deere Turf-Gard, John Deere Plus-4, or John Deere Plus-50 II	2.1 (2)		Hy-Gard (J20C)	4 (3.75) Z920M 4.5 (4.25) Z920R
Z925M EFI, Z925M EFI Flex Fuel	John Deere Turf-Gard, John Deere Plus-4, or John Deere Plus-50 II	2 (1.9)		Hy-Gard (J20C)	4 (3.75)
Z930M, Z930M EFI, Z930R, Z950R, Z960R, Z970R	John Deere Turf-Gard, John Deere Plus-4, or John Deere Plus-50 II	2.5 (2.4)		Hy-Gard (J20C)	4 (3.75) Z930M, Z930M EFI 4.5 (4.25) Z930R, Z950R, Z960R, Z970R
<b>QUIK-TRAKTM MOWERS</b>					
647, 657, 667	John Deere Turf-Gard, John Deere Plus-4	1.7 (1.6)	1.5 (1.4)	JD Plus 50 0W-40 Synthetic Blend	3.3 (3.1)
647A, 657A, 667A	John Deere Turf-Gard, John Deere Plus-4	1.9 (1.8)		JD Plus 50 15W-40 Synthetic Blend	9.2 (8.7)
648R, 652R, 661R, 652B, 661R EFI, 661R EFI	John Deere Turf-Gard, John Deere Plus-4, or John Deere Plus-50 II	2.2 (2.1)		JD Plus 50 15W-40 Synthetic Blend	2.9 (2.7) (Wet) 5.0 (4.7) (Dry)
<b>COMPACT UTILITY TRACTORS</b>					
650	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual)	2.5 (2.4)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	3.5 Gal. (13)
655	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual)	2.5 (2.4)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	4.5 Gal. (17)
670	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual)	2.7 (2.6)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	4 Gal. (15)
750	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual)	4 (3.8)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	3.7 Gal. (14)
755, 756	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual)	3.4 (3.2)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	4.5 Gal. (17)
770, 790	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual)	4.2 (4)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	4 Gal. (15)
850	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual)	4.7 (4.5)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	4.75 Gal. (18) 6.9 Gal. (26) w/ MFWD
855	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual)	4.1 (3.9)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	4.5 Gal. (17)
870	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual)	5.1 (4.8)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	5.5 Gal. (21)
900HC	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual)	4.7 (4.5)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	7.4 Gal. (28)
950	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual)	6.8 (6.4)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	4.75 Gal. (18) 6.8 Gal. (26) w/ MFWD
955	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual)	4.4 (4.2)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	4.5 Gal. (17)

## Oil Types and Capacities (Continued)

Model	Type Engine Oil	Capacity w/ Filter Qts. (Ltrs)	Capacity w/o Filter Qts. (Ltrs)	Type Hydraulic Oil	Capacity w/ Filter Qts. (Ltrs)
<b>COMPACT UTILITY TRACTORS (Continued)</b>					
970	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual)	5.6 (5.3)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	5.5 Gal. (21)
990	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	5.6 (5.3)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	5.5 Gal. (21)
1023E, 1025R	Preferred Engine Oil: Torq-Gard Supreme Plus 50, Torq-Gard Supreme	2.9 (2.7)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	13 (12.3) 3.0 (2.8) w/ MFWO
1026R	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	2.9 (2.7)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	13 (12.3) 3.0 (2.8) w/ MFWO
1050	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual)	6.8 (6.4)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	6.9 Gal. (26) 9 Gal. (34) w/ MFWO
1070	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual)	5.6 (5.3)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	5.5 Gal. (21)
2210	Plus-50, Plus-4, Torq-Gard Supreme	2.1 (2)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	3.4 Gal. (13)
2305, 2320	Plus-50, Torq-Gard Supreme SAE 5W-30	3.4 (3.2)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	3.4 Gal. (13)
2520, 3005	Plus-50, Torq-Gard Supreme	3 (2.8)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	3.9 Gal. (14.6)
2720	Plus-50, Torq-Gard Supreme	3.9 (3.6)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	3.9 Gal. (14.6)
3032E, 3036E, 3038E	Plus-50, Torq-Gard Supreme	1.2 Gal (4.5)		Low Viscosity Hy-Gard (J200)	5.5 Gal (21) 1 Gal (3.8) w/ MFWO
3203	Plus-50, Torq-Gard Supreme	4.5 (4.3)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	6.8 Gal. (25.7)
3120, 3320, 3520	Plus-50, Plus-4, Torq-Gard Supreme	5.1 (4.8)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	6.3 Gal. (23.8) (PowrReverser) 6.8 Gal. (25.7) (eHydro)
3720	Plus-50, Plus-4, Torq-Gard Supreme	6 (5.7)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	6.8 Gal. (25.7)
4005	Torq-Gard Supreme	5.6 (5.3)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	8.3 Gal (31.4)
4010	Plus-50, Plus-4, Torq-Gard Supreme	2.3 (2.2)	2.1 (2)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	2.6 Gal. (10)
4100 Gear	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	2.3 (2.2)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	2.8 Gal. (10.5)
4100 HST	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	2.3 (2.2)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	3.3 Gal. (12.5)
4105	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	4.5 (4.3)			
4110	Plus-50, Plus-4, Torq-Gard Supreme	2.3 (2.2)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	3.5 Gal. (13.3)
4115	Plus-50, Plus-4, Torq-Gard Supreme	2.1 (2)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	3.9 Gal. (14.6)
4200 CST or SRT	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	3.8 (3.6)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	6.3 Gal. (24)
4200 HST	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	3.8 (3.6)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	6.8 Gal. (26)
4210	Plus-50, Plus-4, Torq-Gard Supreme	4 (3.8)		Low Viscosity Hy-Gard (J200)	6.8 Gal. (26)
4300, 4400 CST or SRT	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	5 (4.7)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	6.3 Gal. (24)

## Oil Types and Capacities (Continued)

Model	Type Engine Oil	Capacity w/ Filter Qts. (Ltrs)	Capacity w/o Filter Qts. (Ltrs)	Type Hydraulic Oil	Capacity w/ Filter Qts. (Ltrs)
<b>COMPACT UTILITY TRACTORS (Continued)</b>					
4300, 4400 HST	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	5 (4.7)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	6.8 Gal. (26)
4310	Plus-50, Plus-4, Torq-Gard Supreme	4.5 (4.3)		Low Viscosity Hy-Gard (J200)	6.8 Gal. (26)
4410	Plus-50, Plus-4, Torq-Gard Supreme	4.5 (4.3)		Low Viscosity Hy-Gard (J200)	6.8 Gal. (26)
4500, 4600, 4700 Hydro	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	6.2 (5.8)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	8.8 Gal. (33.4)
4500, 4600, 4700 Gear	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	6.2 (5.8)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	6.8 Gal. (25.7)
4510, 4610, 4710	Plus-50, Plus-4, Torq-Gard Supreme	5.1 (4.8)		Low Viscosity Hy-Gard (J200)	9.8 Gal. (37)
4120, 4320, 4520, 4720	Plus-50, Torq-Gard Supreme	7.9 (7.5)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	10.3 Gal. (38.9) 9.6 Gal. (36.1) (eHydro)
<b>UTILITY TRACTORS</b>					
1020	Refer to Operator's Manual	Refer to Operator's Manual		Refer to Operator's Manual	Refer to Operator's Manual
1250	Torq-Gard Supreme	11.2 (10.5)		Hy-Gard (J20C)	8.3 Gal. (31.5)
1450	Torq-Gard Supreme	12.7 (12)		Hy-Gard (J20C)	8.3 Gal. (31.5)
1530	Refer to Operator's Manual	Refer to Operator's Manual		Refer to Operator's Manual	Refer to Operator's Manual
1650	Torq-Gard Supreme	12.7 (12)		Hy-Gard (J20C)	8.3 Gal. (31.5)
2020	Refer to Operator's Manual	Refer to Operator's Manual		Refer to Operator's Manual	Refer to Operator's Manual
2355	Refer to Operator's Manual	Refer to Operator's Manual		Refer to Operator's Manual	Refer to Operator's Manual
2040, 2240	Refer to Operator's Manual	Refer to Operator's Manual		Refer to Operator's Manual	Refer to Operator's Manual
2150, 2155, 2350, 2355N	Refer to Operator's Manual	Refer to Operator's Manual		Refer to Operator's Manual	Refer to Operator's Manual
5103, 5203, 5303	Plus-50, Torq-Gard Supreme	Refer to Operator's Manual		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	10 Gal. (38)
5105, 5205	Plus-50, Torq-Gard Supreme	7.9 (7.5)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	8.7 Gal. (33)
5210	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	9 (8.5)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	10 Gal. (37.9)
5310, 5310N	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	9 (8.5)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	10 Gal. (37.9)
5410	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	9 (8.5)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	10 Gal. (37.9)
5510, 5510N	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	9 (8.5)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	11 Gal. (41.8)
5400N	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	9 (8.5)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	11 Gal. (41.8)
5500N	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	9 (8.5)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	11 Gal. (41.8)
5500	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, J0 Plus-4 (See Operator's Manual)	9 (8.5)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	11 Gal. (41.8)
5200	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual)	7 (6.6)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J200)	10 Gal. (37.9)

## Oil Types and Capacities (Continued)

Model	Type Engine Oil	Capacity w/ Filter Qts. (Ltrs)	Capacity w/o Filter Qts. (Ltrs)	Type Hydraulic Oil	Capacity w/ Filter Qts. (Ltrs)
<b>UTILITY TRACTORS (Continued)</b>					
5300	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual)	9 (8.5)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	10 Gal. (37.9)
5400	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual)	9 (8.5)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	10 Gal. (37.9)
5220, 5320	Preferred Engine Oil: Plus-50, Torq-Gard Supreme		10 (9.5) - 3 cyl., 11.5 (10.8) - 4 cyl.	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	10 Gal. (38L) CollarShift or SnycShuttle, 11.5 Gal. (43.5 L) PowrReverser
5420, 5520	John Deere Plus-50	9 (8.5)		Hy-Gard (J20C)	10 Gal. (37.9)
5325N, 5425N, 5525N	John Deere Plus-50	9 (8.5)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	12 Gal. (45.4) (PowrReverser)
5225, 5325, 5425, 5525	John Deere Plus-50	11 (10)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	10.3 Gal. (38.9) (SnycShuttle) 11.5 Gal. (43.5) (PowrReverser)
<b>TRACTOR LOADER BACKHOE</b>					
110 TLB	Plus-50, Plus-4, Torq-Gard Supreme	5 (4.9)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	9.7 Gal. (37)
<b>UTILITY VEHICLES</b>					
AMT600	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme, Plus 50, JD Plus-4 (See Operator's Manual)		1.3 (1.2)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	2.5 (2.3)
AMT622	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme, Plus 50, JD Plus-4 (See Operator's Manual)		1.2 (1.1)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	2.5 (2.3)
GATOR/TRAIL GATOR 4X2	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme, Plus 50, JD Plus-4 (See Operator's Manual)	1.2 (1.1)		Hy-Gard (J20C)	6.2 (5.9)
GATOR/TRAIL GATOR 6X4	Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme, Plus 50, JD Plus-4 (See Operator's Manual)	1.4 (1.3)		Hy-Gard (J20C)	6.2 (5.9)
4X2 TURF GATOR	5W-30 Year Round or SAE 30 Summer and Turf-Gard (See Operator's Manual)	1.5 (1.4)		Hy-Gard (J20C)	1.65 (1.6)
6X4 GATOR DIESEL	5W-30 Year Round or SAE 30 Summer and Turf-Gard (See Operator's Manual)	2.3 (2.2)		Hy-Gard (J20C)	1.65 (1.6)
4X4 HPX GATOR, 4X4 Trail HPX GATOR (Gas)	Turf-Gard, Turf-4	1.37 (1.3)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	4.2 (4)
4X2, 4X4 HPX GATOR (Diesel)	Plus-50, Torq-Gard Supreme	2.3 (2.2)	2.1 (2)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	4.2 (4)
CS GATOR, CX GATOR	Plus-40 SAE 10W-40, Torq-Gard Supreme SAE 5W-30	1.2 (1.1)	0.95 (0.9)	Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	3 (2.8)
Buck UATV	SAE 10W-40, SAE 5W-30	2.65 (2.5)		SAE 10W-40, SAE 5W-30	2.65 (2.5)
Trail Buck UATV	SAE 10W-40 Summer, SAE 5W-30 Winter	2.65 (2.5)		SAE 10W-40 Summer, SAE 5W-30 Winter	2.65 (2.5)
500 Buck Auto ATV	SAE 10W-40 Summer, SAE 5W-30 Winter	3.17 (3)		SAE 10W-40 Summer, SAE 5W-30 Winter	3.17 (3)
620i XUV, 825i XUV	Turf-Gard, Plus-4	1.37 (1.3)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	4 (3.8)
825i XUV	Turf-Gard, Plus-4	2.8 (2.65)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	4 (3.8)
825i S4 XUV	Turf-Gard, Plus-4	2.3 (2.2)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	4 (3.8)
850D XUV, 855D XUV, 855D S4 XUV	Plus-50, Torq-Gard Supreme	2.75 (2.6)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	4 (3.8)
RSX 850i Sport RSX 850i Trail	0W40 Plus 50 II Synthetic	3.4 (3.25)	3.2 (3.0)	Hy-Gard (J20C)	13.5 - 20 oz. (0.4 - 0.6) Front 2.3 - 2.75 (2.2 - 2.6) Mid 17 - 24 oz. (0.5 - 0.7) Rear
TS GATOR (4X2)	Turf-Gard, Plus-4	1.26 (1.2)	0.95 (0.9)	Hy-Gard (J20C)	6.1 (5.8)
TH 6X4 GATOR (Gas)	Turf-Gard, Plus-4	1.26 (1.2)		Hy-Gard (J20C)	6.1 (5.8)
XUV 550, XUV 550 S4	Turf-Gard, Plus-4	1.42 (1.5)		Hy-Gard (J20C)	1.4-2.8 (2.54-2.96)

## Oil Types and Capacities (Continued)

Model	Type Engine Oil	Capacity w/ Filter Qts. (Ltrs)	Capacity w/o Filter Qts. (Ltrs)	Type Hydraulic Oil	Capacity w/ Filter Qts. (Ltrs)
<b>UTILITY VEHICLES (Continued)</b>					
XUV 4X4 GATOR (Gas)	Turf-Gard, Plus-4	1.37 (1.3)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	4 (3.8)
XUV 4X4 GATOR (Diesel)	Plus-50, Torq-Gard Supreme	2.3 (2.2)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	4 (3.8)
TH 6X4 GATOR (Diesel)	Plus-50, Torq-Gard Supreme	1.7 (1.6)		Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D)	5 (4.7)
4X2 TX GATOR, 4X2 TX Turf GATOR	Turf-Gard, Plus-4	1.37 (1.3)		Hy-Gard (J20C)	5.92 (5.6)
2020	Turf-Gard, Plus-4 (See OM for Operating Temp.)	2.2 (2.1)		Hy-Gard (J20C)	2.8 Gal. (10.6)
2030	Plus-50, Torq-Gard Supreme, Plus-4	2.2 (2.1)		Hy-Gard (J20C)	2.8 Gal. (10.6)

