TABLE OF CONTENTS

BLADE SPECIFICATION CHART 17-21
COMMERCIAL WALK-BEHIND MOWERS 4-5
COMPACT UTILITY TRACTORS 15-16
EZTRAK™ MOWERS 14
FRONT MOUNT MOWERS 11-12
LAWN TRACTORS - LAWN AND GARDEN TRACTORS 6-10
QUIK-TRAK™ MOWERS 15
RIDING MOWERS 5
SABRE LAWN TRACTORS AND LAWN AND GARDEN TRACTORS 10
SABRE WALK-BEHIND MOWERS 3
SCOTTS LAWN AND GARDEN TRACTORS 10-11
SCOTTS WALK-BEHIND MOWERS 3
TRICYCLER MULCHING BLADES 17
WALK-BEHIND ROTARY MOWERS 2-3
ZTRAK™ MOWERS 12-14

MOWER BLADE CLASSIFICATIONS:

LOW-LIFT BLADE:
Designed to give reduced grass lift and air flow in low or thin grasses and/or dusty conditions. Recommended for side discharging.

MEDIUM-LIFT BLADE:
Designed to give excellent grass lift and air flow needed for bagging in normal conditions.

HIGH-LIFT BLADE:
Designed to give optimum grass lift and air flow needed for difficult bagging conditions such as when grass is very heavy, long or wet.





WALK-BEHIND ROTARY MOWERS

Model	Serial Number	Blade	Qty.	Attaching Hardware
18” (Steel Deck)	No Prefix-250000 W021XXXXXX- N18RXXXXXX-	PT9190 (Standard)	1	19H3663 (Screw), M92002 (Washer)
18”	TY18250000-360000	PT9190 (Standard)	1	19H2544 (Screw), M92002 (Washer)
19” (Cast Deck)	W206X000001-150000	M44767 (Standard)	1	12H293 (Lock Washer), 26H10 (Key)
19” (Cast Deck)	No Prefix 150000-165000	M46059 (Standard)	1	12H293 (Lock Washer)
20” (Steel Deck)	N022XXXXX- N020XXXXX- TY2025000- TY04PMX360000-	PT6963 (Standard)	1	19H3663 (Screw), M92002 (Washer),
20” HD	TY20PCAXXXXX-	PT8510 (Standard)	1	E57454 (Nut),
21” (Cast Deck)	W207XX000001-150000	M44796 (Standard)	1	12H293 (Lock Washer)
	W207XX150001-163000	M46073 (Standard)	1	12H293 (Lock Washer)
	W207XX163001-	M46073 (Standard)	1	12H293 (Lock Washer)
21SP, 21SPE, 21P, 21SE, 21SM, 21PM, 21PE		PT6921 (Standard)	1	M92002 (Washer), 19H3663 (Screw) (21SP, 21SPE, 21P), 19H2544 (Screw) (21SE, 21SM, 21PM, 21PE)
21” Commercial	TY21PCA250001-360000	PT14764 (Standard)	1	E57454 (Nut),
12PC, 14PZ, 14SC, 14SZ, 14SX		M77178 (Standard) M92810 (Low Noise (Export)) M125413 (Mulch)	1 1 1	M111784BLE (Washer) 19H2959 (Cap Screw)
12SB, 12PB, 12SM, 12SE, 12PM	360001-450000	PT14765 (W/BBC) (Standard) PT14764 (W/O BBC) (Standard)	1 1	PT10528 (Screw) (2) (W/BBC), E57454 (Locknut) (W/O BBC)
12SB, 12PB, 12SM, 12SE, 12PM	450001-	PT14765 (Standard)	1	E57454 (Nut), PT10528 (Screw) (2), (W/O BBC)
14SB, 14PB, 14SM, 14SE	TY14XXXXXX-	PT14765 (W/BBC) (Standard) PT14764 (W/O BBC) (Standard)	1 1	(W/BBC) PT10528 (Screw), (W/O BBC) 24H1313 (Washer), PT13016 (Bolt)
14SMC, 14SEC, 14SBC		PT14766 (W/O BBC) (Standard) PT14765 (W/BBC) (Standard)	1 1	(W/O BBC) 26H10 (Key), 24H1313 (Washer), PT13016 (Bolt), (W/BBC) PT10528 (Bolt)
21-Inch Silver 12SB, 12PB, 14PB, 14SE, 14SB	GX12PBX010001-175000 GX12SBX010001-175000 GX14PBX010001-212439 GX14SEX010001-212846 GX14SBX010001-232652	M77178 (Standard) M125413 (Mulch)	1 1	PT13019 (Screw), 19M7938 (Screw) (2), 12H328 (Lock Washer),
21-Inch Silver 14PB, 14SE, 14SB	GX14PBX212440- GX14SEX212847- GX14SBX232653-	M77178 (Standard) M125413 (Mulch)	1 1	19M7938 (Screw) (2), 12H328 (Lock Washer)
21-Inch Silver 12PC, 14SC, 14PZ, 14SZ	Prefixes: GX12PC, GX14SC, GX14PZ, GX14SZ	M77178 (Standard) M125413 (Mulch)	1 1	All Models: 19H2959 (Screw), M111784BLE (Washer) Models 14PZ, 14SZ (Engine Marked 124702): M93920 (Adapter), M45460 (Key) Models 14PZ, 14SZ (Engine Marked 12F702): M114679 (Adapter), H64373 (Key) Models 12SP, 14SC: M114679 (Adapter), 26H10 (Key)
14PT, 14ST Silver		M125413 (Mulch) M124767 (Notched Mulch)	1 1	M111784BLE (Washer), H64373 (Key), M114679 (Adapter), 19H3551 (Screw)
JM26, JM36, JM46		GX23522 (Standard) (SN - 150000) GX24213 (Standard) (SN 150001-)	1 1	GX22256 (Washer) GX22376 (Bolt) GX22837 (Adapter) (SN -150000) GX24214 (Adapter) (SN 150001-)

X CAN REPRESENT ANY LETTER OR NUMBER IN SERIAL NUMBER

WALK-BEHIND ROTARY MOWERS (Continued)

Model	Serial Number	Blade	Qty.	Attaching Hardware
JS20, JS30, JS40		GX22250 (Standard) GX22454 (Mulching)	1 1	GX22376 (Cap Screw), GX22256 (Washer), GX22286 (Adapter)
JS25, JS35, JS45		GX22250 (Standard)	1	GX22376 (Cap Screw), GX22256 (Washer), GX22837 (Adapter)
JS26, JS36, JS46		GX23522 (Standard)	1	GX22376 (Cap Screw), GX22256 (Washer), GX22837 (Adapter)
JS28, JS38, JS48		GX24213 (Standard)	1	GX22376 (Cap Screw) GX22256 (Washer)
JS60, JS60H, JS61, JS63, JS63C, JS63E		GC00344 (Standard) GC00175 (Bagging)	1 1	19H3515 (Cap Screw), M111784BLE (Washer), GX21635 (Adapter)
JA60, JA62	SN -200000 SN 200001-	M92810 (Low Lift) (Export) M125413 (Mulch) BM17484 (Mulch Kit) M77178 (High Lift) GX21702 (High Lift) (New)	1 1 1 1 1	19H2959 (Cap Screw), M111784BLE (Washer)
JA65		M125413 (Mulch) BM17484 (Mulch Kit) M77178 (High Lift)	1 1 1	19M7938 (Cap Screw)
JX75, JE75, JX85	SN -200000	M92810 (Low Lift) (Export) M125413 (Mulch) BM17484 (Mulch Kit) M77178 (High Lift) (JX75 and JE75)	1 1 1 1	19M7938 (Screw) (JE75, JX85), 19M7550 (Screw) (JX75)

X CAN REPRESENT ANY LETTER OR NUMBER IN SERIAL NUMBER



SABRE WALK-BEHIND ROTARY MOWERS

Model/Deck Size	Serial Number Prefix	Blade	Qty.	Attaching Hardware
M10, M21, M23		GC00344 (Standard)	1	19H3515 (Cap Screw), M111784BLE (Washer)
14PS, 14SS		M125413 (Mulch)	1	19H2959 (Cap Screw), M111784BLE (Washer)



SCOTTS WALK-BEHIND ROTARY MOWERS

Model/Deck Size	Serial Number Prefix	Blade	Qty.	Attaching Hardware
SP6211, SP6213		GC00344 (Standard) GC00175 (Bagging)	1 1	19H3515 (Cap Screw), M111784BLE (Washer), GX21635 (Adapter)

X CAN REPRESENT ANY LETTER OR NUMBER IN SERIAL NUMBER



COMMERCIAL WALK-BEHIND MOWERS

Model	Serial Number	Blade	Qty.	Attaching Hardware
32”		PT11136 (Standard) AM104488 (High Lift)	2 2	AM104859 (Bolt & Nut) (2), PT8889 (Spacer) (2),
48”	-M048CMX112000 -M012PDX112000	PT11136 (Standard) AM104488 (High Lift	3 3	AM104859 (Bolt & Nut) (2), PT8889 (Spacer) (2),
48”	M048CMX112001- M012PDX112001-	M73509 (Standard) AM104489 (High Lift)	3 3	AM104859 (Bolt & Nut) (2), PT8889 (Spacer) (2),
36”, 52”		PT8721 (Standard) AM104490 (High Lift)	2 (36”) 3 (52”)	AM104859 (Bolt & Nut) (2), PT8889 (Spacer) (2),
36” Used On GS25, GS30, GS45, GS75	M036MCXXXXXXX	M122455 (Standard) M126307 (Export) M122467 (Mulch) BM20655 (Mulch Kit)	2 2 2 1	AM122910 (Kit), 19M8011 (Screw)
36” Used on G15		M122455 (Standard) M126307 (Export) M122467 (Mulch) BM20655 (Mulch Kit)	2 2 2 1	AM122910 (Kit)
36” Used On HD45, HD75		M122455 (Standard) M122467 (Mulch) BM20655 (Mulch Kit)	2 2 1	AM122910 (Kit)
38” Used On 12.5 HP, 14 HP, 17 HP	GX38MCXXXXXXX	M115759 (Standard) M119233 (Mulch)	3 3	19H2563 (Cap Screw), M92002 (Washer)
48” Used On 12.5 HP, 14 HP, 17 HP, GS25, GS45, GS75	GX48MCXXXXXX, M048MCXXXXXX	M115495 (Standard) M135589 (High Lift - use on GS only)	3 3	M131928 (Deflector- Not Used On GS Models), AM121680 (Kit), 19M7788 (Screw)
48” Used On HD45, HD75		M115495 (Standard)	3	AM121680 (Kit), 19M7788 (Screw), M131928 (Deflector)
48” Used on 7G18		TCU30315 M136185 (Mulch) BM19503 (Mulch Kit)	3 3 1	19M7489 (Cap Screw), M123520 (Washer), M123522 (Washer
48” Used on 7H19		TCU30317 (High Lift) M135334 (Mulch) BM19502 (Mulch Kit)	3 3 1	19M7489 (Cap Screw), M123520 (Washer), M123522 (Washer)
54” Used On 12.5 HP, 14 HP, 17 HP, GS25, GS45, GS75	GX54MCXXXXXX, M054MCXXXXXX	M115496 (Standard) M135590 (High Lift - use on GS only)	3 3	M131928 (Deflector-Not Used On GS Models), AM121680 (Kit), 19M7788 (Screw)
54” Used On HD45, HD75		M115496 (Standard)	3	AM121680 (Kit), 19M7788 (Screw), M131928 (Deflector)
54" Used On 7H19		TCU30317 (High Lift) M135334 (Mulch) BM19502 (Mulch Kit)	3 3 1	19M7489 (Cap Screw), M123520 (Washer), M123522 (Washer)
7H17B, 7H17E		TCU30315 (7H17B) M127673 (7H17E) M136185 (Mulch) BM19503 (Mulch Kit)	3 3 3 1	7H17E-19M7872 (Cap Screw), M147138 (Washer), M131928 (Deflector) 7H17B- 19M7489 (Cap Screw), M123520 (Washer), M123522 (Washer), M134305 (Deflector)
WG32A		TCU29299 (Standard) TCU29868 (Mulch) TCB11738 (Mulch Kit)	2 2 1	D18055 (Washers) (SN -040000) TCU29171 (Washers) (SN 040001-)
WG36A		TCU29188 (Standard) TCU29869 (Mulch) TCB11739 (Mulch Kit)	2 2 1	D18055 (Washers) (SN -040000) TCU29171 (Washers) (SN 040001-)
WG48A		TCU29299 (Standard) TCU29868 (Mulch) TCB11740 (Mulch Kit)	3 3 1	D18055 (Washers) (SN -040000) TCU29171 (Washers) (SN 040001-)
WH36A, WHP36A		TCU29188 (Standard) TCU29869 (Mulch) TCB11739 (Mulch Kit)	2 2 1	D18055 (Washers) (WH36A SN -040000) TCU29171 (Washers) (WH36A SN 040001-) TCU29171 (Washers) (WHP36A) 19H2706 (Cap Screw)

COMMERCIAL WALK-BEHIND MOWERS (Continued)

Model	Serial Number	Blade	Qty.	Attaching Hardware
WH48A, WHP48A		TCU29299 (Standard) TCU29868 (Mulch) TCB11740 (Mulch Kit)	3 3 1	D18055 (Washers) (WH48A SN -040000) TCU29171 (Washers) (WH48A SN 040001-) TCU29171 (Washers) (WHP48A) 19H2706 (Cap Screw)
WH52A, WHP52A		TCU29188 (Standard) TCU29869 (Mulch) TCB11741 (Mulch Kit)	3 3 1	19H2706 (Cap Screw) D18055 (Washers) (3) (WH52A SN -040000) TCU29171 (Washer) (3) (WH52A SN 040001-) TCU29171 (Washers) (WHP52A)
WE80 21"		TCU29531 (Standard)	1	M111784BLE (Washer) GC00100 (Bolt) GX23703 (Adapter)
WE85		TCU29531 (Standard)	1	GX23777 (Bolt) (2) GX23744 (Spacer)

X CAN REPRESENT ANY LETTER OR NUMBER IN SERIAL NUMBER



RIDING MOWERS

Model	Serial Number	Blade	Qty.	Attaching Hardware
55RM 26” Deck		M44542 (Standard)	1	19H3104 (Cap Screw), M92002 (Washer)
56RM 28” Deck		M44543 (Standard) M47275 (High Lift)	1 1	19H3104 (Cap Screw), M92002 (Washer)
57 34” Deck		M41646 (Standard)	2	19H1822 (Bolt), M92002 (Washer)
65 28” Deck		M44543 (Standard)	1	19H2563 (Cap Screw), M92002 (Washer)
66RM, 68RM 30” Deck		M89456 (Low Lift) M89454 (Medium Lift) M89455 (High Lift)	1 1 1	19H3104 (Cap Screw) (SN -222000), 19H2563 (Cap Screw) (SN 222001-), M92002 (Washer, Round), M92001 (Washer, Flat Sided)
66RM, 68RM 34” Deck		M41646 (Standard)	2	19H3104 (Cap Screw) (SN -222000), 19H2563 (Cap Screw) (SN 222001-), M92002 (Washer)
90, 96 Electric 34” Deck		M46269 (Standard)	2	19H3104 (Cap Screw), M92002 (Washer)
R70, R72, R92, S80, S82 30” Deck	S80, S82 (-360000)	M89456 (Low Lift) M89454 (Medium Lift) M89455 (High Lift)	1 1 1	19H2563 (Cap Screw), M92002 (Washer, Round), M92001 (Washer, Flat Sided)
S80, S82 30” Deck	360001-	M89454 (Medium Lift) M89455 (High Lift)	1 1	19H2563 (Cap Screw), M92002 (Washer)
S92, SX95, SRX95 38” Deck		AM141039 (Medium Lift Kit) M82408 (Standard) AM141040 (Mulch)	1 2 1	19H2563 (Cap Screw), M92002 (Washer)
RX63 26” Deck		M71341 (Low Lift) M71342 (Medium Lift) M71343 (High Lift)	1 1 1	M92001 (Washer), 19H2563 (Cap Screw)
RX73, RX75, SX75, RX95, GX70, GX75, GX85, GX95, SRX75, SX85 30” Deck		M89454 (Medium Lift) M89456 (Low Lift) M89455 (High Lift) (Only To Be Used With Bagging Attachment) M118958 (Mulch) M74448 (Very Low Lift) (Optional)	1 1 1 1 1	M92001 (Washer), 19H2563 (Cap Screw), T105740 (Washer) (GX Series)

X CAN REPRESENT ANY LETTER OR NUMBER IN SERIAL NUMBER



LAWN TRACTORS - LAWN AND GARDEN TRACTORS

Model/ Deck Size	Used On	Serial Number	Blade	Qty.	Attaching Hardware
30”	STX30, 108, 130		M89456 (Low Lift) M89454 (Medium Lift) M89455 (High Lift)	1 1 1	M92001 (Washer), 19H2563 (Cap Screw)
34”	60, 70, 100	0000001-003550	M41646 (Standard)	2	M92002 (Washer), 19H3104 (Cap Screw)
38”	110, 112	002551-003550	M40210 (Standard)	3	12H325 (Washer), 19H1822 (Bolt)
38”	110, 112	003551-100000	M41237 (Standard)	3	M92002 (Washer), 19H3104 (Cap Screw)
38”	210, 212, 214, 216, 316, 318, 322, 330, 332	M0066XX505001- 555000	M82408 (Low Lift)	2	19H2563 (Cap Screw), M92002 (Washer)
38”	GT242, GT262, GT275, LX172, LX173, LX176, LX178, LX186, LX 188, STX38 (Yellow Deck), 111, 111H, 112L, 116, 116H, 160, 165, 170, 175, 180, 185, 28 210, 212, 214, 216, 240, 245, 260, 265, 285, 316, 318, 320, 322, 330, 332, 325, 345	M0038XXXXXX- M0066X555001-	M82408 (Low Lift) AM141039 (Medium Lift Kit) AM141041 (High Lift Kit)	2 1 1	19H2563 (Cap Screw), M92002 (Washer)
38”	111, 111H, 112L		M82408 (Low Lift) AM141039 (Medium Lift Kit) AM141041(High Lift Kit)	2 1 1	19H3104 (Cap Screw), M92002 (Washer)
38”	STX38 (Black Deck)		AM141039 (Med. Lift Kit, Std.) M82408 (Low Lift) AM141041(High Lift Kit)	1 2 1	M143695 (Bolt), M122113 (Washer), M134981 (Washer)
38”	LT133, LT150, LT155, LT166		M82408 (Low Lift) AM141039 (Medium Lift Kit) AM141041 (High Lift KIt) AM141040 (Mulch)	2 1 1 1	M143695 (Bolt), M122113 (Washer), M147139 (Washer, Blade), 19M7804 (Screw), M127351 (Deflector)
38”	LT160		M74449 (Very Low) (Export) M82408 (Low Lift) AM141039 (Medium Lift Kit) AM141041 (High Lift Kit) AM141040 (Mulch Kit)	2 2 1 1 1	M143695 (Bolt), M122113 (Washer), M147139 (Washer, Blade), 19M7804 (Screw), M127351 (Deflector)
38”	LT170		AM141039 (Medium Lift KIt) AM141040 (Mulch Kit) M82408 (Low Lift) M74449 (Very Low) (Export) AM141041 (High Lift Kit)	1 1 2 2 1	M143695 (Bolt), M122113 (Washer), M147139 (Washer), M134981 (Washer-Mulch)
38”	LX172, LX266		AM141039 (Medium Lift Kit) AM141040 (Mulch Kit) M82408 (Low Lift) M74449 (Very Low) (Export) AM141041 (High Lift Kit)	1 1 2 2 1	M143695 (Bolt), M122113 (Washer), M147139 (Washer), M134981 (Washer-Mulch)
38” Side Discharge	LX255, LX277, LX279, LX288, GT225, GT235, GT235E, LX277 AWS, 325, 335, 345, 355D	M038CAA010001- M038CAB010001-	AM141040 (Mulch Kit) M82408 (Low Lift) AM141039 (Med. Lift Kit.- Std.) AM141041 (High Lift Kit)	1 2 1 1	M143695 (Bolt), M122113 (Washer), M134981 (Washer) (use with mulch blade)
42”	X130R		GX23228 (RH) GX23227 (LH)	1 1	M149625 (Washer) GX21694 (Lock Nut)
36”	X135R		GX24567 (RH) GX24566 (LH)	1 1	M149625 (Washer) GX21694 (Lock Nut)
	X125, X145		GX22151 (Standard) GY20850 (standard Kit) AM131034 (High Lift)	2 1 1	M149625 (Washer) GX21694 (Lock Nut)
	X155R		GX23228 (RH) GX23227 (LH)	1 1	M149625 (Washer) GX21694 (Lock Nut)
38”	X300, X304 Select Series		AM141039 (Medium Lift Kit) AM141040 (Mulch Kit) AM141041 (High Lift KIt)	1 1 1	M147138 (Washer), 14M7367 (Lock Nut)
39”, 41”	(39”) 110, 112, 200, 208, 210, 212, 214, 216; (41”) 120, 140, 300, 312, 314, 316, 317	No Prefix 100000-488000	M41237 (Standard)	3	19H3104 (Cap Screw), M92002 (Washer)
42M Freedom	LT155, LT166,LX255, 277, 277 W/ AWS, 279, 288, GT225, GT235, GT235E, 325, 335, 345, 355D, SST16		AM130172 (Kit)	1	AM127890 (Bolt, w/washers) (2 are included in AM130172)

X CAN REPRESENT ANY LETTER OR NUMBER IN SERIAL NUMBER

LAWN TRACTORS - LAWN AND GARDEN TRACTORS (Continued)

Model/ Deck Size	Used On	Serial Number	Blade	Qty.	Attaching Hardware
42C	LX255, LX277, LX279, LX288, GT225, GT235, GT235E, GX325, GX335, GX345, GX355	M42CAA010001-	M159046 (Mulch) M148613 (Standard) M159047 (High Lift)	2 2 2	M147138 (Washer), 19M7872 (Cap Screw)
42C	LT160		AM141032 (Side Discharge Kit) AM141034 (Bagging Kit) AM141033 (Mulch) BM21816 (Mulch Kit)	1 1 1 1	M143695 (Bolt), 03M7183 (Carriage Bolt), M122113 (Washer), M147139 (Washer), M127351 (Deflector), 14M7298 (Flange Nut)
42” Rear Discharge	LTR155, LTR166		AM131560 (Kit) AM131569 (Mulch Kit)	1 1	AM127890 (Bolt, w/washers)
42M	LT160, LT170, LT180		AM130172 (Kit) AM140332 (Low Lift)	1 1	AM127890 (Bolt, w/washers)
42C	LT170, LT180		AM141032 (Side Discharge Kit) AM141034 (Bagging Kit) AM141033 (Mulch) BM21816 (Mulch Kit)	1 1 1 1	M143695 (Bolt), M147139 (Washer), M122113 (Washer)
42” Rear Discharge	LTR180		AM131560 (Kit) AM131569 (Mulch Kit)	1 1	AM127890 (Bolt, w/washers), M131928 (Deflector)
42C	SST15, SST16		AM141032 (Side Discharge Kit) AM141033 (Mulch) AM141034 (Bagging Kit)	1 1 1	M147138 (Washer), 19M7789 (Screw), M128169 (Deflector)
42”	SST15, SST16		AM141032 (Side Discharge Kit) M139802 (Mulch) M139803 (Bagging)	1 2 2	M147138 (Washer), 19M7789 (Screw)
42”	LX280, LX280 AWS		M148613 (Standard) M159046 (Mulch) BM20008 (Mulch Kit)	2 2 1	19M7872 (Cap Screw), M147138 (Washer)
42C	LX266		M159046 (Mulch) M148613 (Standard) M159047 (High Lift)	2 2 2	19M7872 (Cap Screw), M147138 (Washer)
42M	LX266		AM130172 (Kit)	1	AM127890 (Bolt, w/washers)
42”	D100, D105, D110, D120, D130		GX22151 (Standard) GY20850 (Blade Kit) AM141034 (High Lift) AM141033 (Mulch) BM21816 (Mulch Kit) (NLA)	2 1 1 1 1	M149625 (Washer) GX21694 (Locknut)
48”	D140, D150, D160		GY20852 (Blade Kit) GX21784 (Standard) GX21785 (High Lift) GX21786 (Mulch)	1 3 3 3	M149625 (Washer) GX21694 (Locknut)
54”	D170		GY20679 (Blade Kit) GY20684 (Blade Kit) GY20686 (Mulch Blade Kit) BG20304 (Mulch Kit)	1 1 1 1	M149625 (Washer) GX21694 (Locknut)
42”	L100, L105, L107, L108, L110, L111, L118		GX20249 (Standard) GY20567 (Blade Kit) GX20433 (Bagging/Mulch)	2 1 2	19M7786 (Screw)
42”	102, 105, 115, 125, 135, LA100, LA110, LA120, X110, X120		GX22151 (Standard) GY20850 (Blade Kit) AM141034 (High Lift) AM141033 (Mulch) BM21816 (Mulch Kit) (NLA)	2 1 1 1 1	M147138 (Washer) (SN -015480) M149625 (Washer) (SN 015481-) 14M7367 ((Locknut) (SN -015480) GX21694 ((Locknut) (SN 015481-)
42”	LA105, LA115, LA125, LA135		GX22151 (Standard) GY20850 (Blade Kit) AM141034 (Bagging Kit) AM141033 (Mulch) AM140973 (Mulching Kit)	2 1 1 1	M149625 (Washer) GX21694 (Locknut)
42C	X300, X304 Select Series	(-150000) w/o Belt Tensioner handle W/Belt Tensioner Handle (150001-) w/o Belt Tensioner Handle	AM141032 (Side Discharge Kit) AM141034 (Bagging Kit) AM141033 (Mulch) AM141032 (Side Discharge Kit) AM141034 (Bagging Kit) AM141033 (Mulch) AM141031 (3-in-1)	1 1 1 1 1 1 1	M147138 (Washer), 14M7367 (Locknut) M149625 (Washer), M159140 (Locknut)
42C	X310		AM141032 (Side Discharge Kit) AM141033 (Mulch) BM21816 (Mulch Kit)	1 1 1	M149625 (Washer), M159140 (Locknut)

X CAN REPRESENT ANY LETTER OR NUMBER IN SERIAL NUMBER

LAWN TRACTORS - LAWN AND GARDEN TRACTORS (Continued)

Model/ Deck Size	Used On	Serial Number	Blade	Qty.	Attaching Hardware
42M	X300, X304 Select Series	(-150000) (150001-)	AM140973 (Mulch Kit) AM140332 (Low Lift) AM140973 (Mulch Kit)	1 1 1	M147138 (Washer) (2), 14M7367 (Locknut) (2) M149625 (Washer) (2), M149140 (Locknut) (2)
42" Rear Discharge	X300R Select Series	(-150000) (-150000) (-085000) (150001-) (150001-) (150001-)	AM140973 (Standard) AM140974 (High Performance) AM140975 (Mulch) AM140974 (High Performance) AM140332 (Low Lift) AM140975 (Mulch)	1 1 1 1 1 1	M147138 (Washer), 14M7367 (Locknut)
44" (Piranha)	GT242, GT262, GT275, LX172, LX173, LX176, LX178, LX186, LX188, 325, 335, 345, 355D, LX255, LX277, LX279, LX288, GT225, GT235, GT235E, GX325, GX335, GX345, GX355	M044RAA010001-	M119798 (Upper Mulch) M119799 (Lower Mulch) M121589 (Discharge)	3 3 3	M119759 (Washer) (Use with mulch blade), 19M7788 (Screw), 24M7277 (Washer) (Use with discharge blade)
46"	LT166		M41967 (Standard) M119232 (Mulch)	3 3	M143695 (Bolt), M122113 (Washer), M134981 (Washer)
46", 47", 48"	120, 140, 300, 312, 314, 317, 316 (-095000), 318, 322, 330, 332	No Prefix 100000-488000, (46") 2551-100000	M41967 (Standard)	3	19H3104 (Cap Screw), M92002 (Washer)
46"	STX46 (Black Deck)		M41967 (Standard)	3	M143695 (Bolt), M122113 (Washer), M134981 (Washer), M127351 (Deflector)
46"	116, 116H, 180, 185, 210, 212, 214, 216, 240, 245, 260, 265, 285, 320	No Prefix, M00673X488001-, Prefixes: M00595, M00596	M41967 (Standard)	3	19H2563 (Cap Screw), M92002 (Washer)
48"	GT242, GT262, GT275, LX172, LX173, LX176, LX178, LX186, LX188, LX277AWS, 240, 245, 260, 265, 285, 320, 325, 345, 425, 445, 455	M048XXXXXXXX, M0048XXXXXXX	M115495 (Standard) M135589 (High Lift)	3 3	AM121680 (Kit), 19M7788 (Screw)
48"	LX280, LX280 AWS, LX289, LT190, GX255		M145476 (Standard) M127673 (Mulch) BM20007 (Mulch Kit)	3 3 1	19M7872 (Cap Screw), M147138 (Washer)
48"	LT180		M127673 (Mulch) M145476 (Standard)	3 3	M147138 (Washer), 19M7872 (Cap Screw), M131928 (Deflector)
48C	LT166, LX255, LX277, LX279, LX288, GT225, GT235, GT235E, LX277 AWS, 325, 335, 345, 355D, SST18	M048CAA010001- M048CAB010001- M048CAC010001- M048CAD010001-	M127673 (Mulch) M145476 (Standard)	3 3	M147138 (Washer), 19M7789 (Screw), M131928 (Deflector), M135114 (Spacer)
48C	LT170		M145476 (Standard) M127673 (Mulch)	3 3	19M7872 (Cap Screw), M147138 (Washer), 19M7789 (Screw)
48C	LX266		M145476 (Standard) M127673 (Mulch)	3 3	19M7872 (Cap Screw), M147138 (Washer), 19M7789 (Screw)
48C	GX325, GX335, GX345, GX355		M145476 (Standard) M127673 (Mulch)	3 3	19M7872 (Cap Screw), M147138 (Washer), 19M7789 (Screw)
48C	X465, X475, X485, X495, X575, X585, X595, and X700 Ultimate Series		M127673 (Mulch) M145476 (Standard)	3 3	19M7872 (Cap Screw), M131928 (Deflector), AM127432 (Spindle)
48C	X710, X730, X734, X738, X739		M145476 (Standard) M136185 (Mulch) BM23975 (Mulch Kit)	3 3 1	19M7268 (Cap Screw), M147138 (Washer) M131928 (Deflector), AM127432 (Spindle)
48C	X754, X758, X750		M145476 (Standard)	3	19M7268 (Cap Screw), M147138 (Washer) M131928 (Deflector), AM127432 (Spindle)
48"	L120, L130		GY20568 (Standard Kit) GX20250 (Standard) GX20819 (Mulch) GY20568 (Kit) GX20434 (High Lift)	3 3 3 1 3	19M7786 (Screw)
48"	145, 155C		GX21784 (Standard) GY20852 (Blade Kit - Standard) GX21785 (Bagging) GX21786 (Mulch)	3 1 3 3	M147138 (Washer), 14M7367 (Locknut)
48"	X165		GY20852 (Standard Kit) GX21784 (Standard) GX21785 (High Lift) GX21786 (Mulch)	1 3 3 3	M149625 (Washer), GX21694 (Locknut)

X CAN REPRESENT ANY LETTER OR NUMBER IN SERIAL NUMBER

LAWN TRACTORS - LAWN AND GARDEN TRACTORS (Continued)

Model/ Deck Size	Used On	Serial Number	Blade	Qty.	Attaching Hardware
48”	LA130, LA140, LA145, LA155, LA165, X140		GX21784 (Standard) GY20852 (Blade Kit - Standard) GX21785 (Bagging) (w/o Powerflow) GX21786 (Mulch)	3 1 3 3	M149625 (Washer), GX21694 (Locknut)
48”	X320, X324, X360 Select Series		M145476 (Standard) M127673 (Mulch)	3 3	M147138 (Washer), 19M7872 (Cap Screw)
48C	X300, X304, X500, X520, X534, X540 Multi-Terrain		M145476 (Standard) M127673 (Mulch)	3 3	M147138 (Washer), 19M7872 (Cap Screw)
50”, and 50” with 3-Point Hitch	120, 140, 240, 245, 260, 265, 285, 300, 312, 314, 316, 317, 318, 320, 322, 330, 332, 420, 430	No Prefix, M0101XXXXX, M0267XXXXXX	M86209 (Low Lift) M76461 (Medium Lift)	3 3	19H2563 (Cap Screw), M92002 (Washer)
54”	X320		M143520 (Standard) M152726 (High Lift) M145516 (Mulch) BM20827 (Mulch Kit)	3 3 3 1	19M7872 (Cap Screw), M147138 (Washer)
54”	325, 345, 425, 445, 455	M0054XXXXXXX M054HDXXXXXX	M115496 (Standard) M135590 (High Lift)	3 3	AM121680 (Kit), 19M7788 (Screw)
54C	LX280, LX280 AWS, LX288, GT245		M143520 (Standard) M145516 (Mulch) BM20827 (Mulch Kit)	3 3 1	19M7872 (Cap Screw), M147138 (Washer)
54C	LX266, LX288, GT225, GT235E, GT245		M143520 (Standard) M145516 (Mulch)	3 3	19M7872 (Cap Screw), M147138 (Washer), 19M7789 (Screw)
54C	GX255, GX325, GX335, GX345, GX355		M143520 (Standard) M145516 (Mulch)	3 3	19M7872 (Cap Screw), M147138 (Washer), 19M7789 (Screw)
54C	X465, X475, X485, X495, X575, X585, X595, and X700 Ultimate Series		M143520 (Standard) M152726 (High Lift) M145516 (Mulch)	3 3 3	19M7872 (Cap Screw), M131928 (Deflector), AM127432 (Spindle)
54” Side Discharge	LX288, GT235, 325, 335, 345, 355D	M054CAA010001- M054CAB010001-	M115496 (Standard) M113518 (Mulch)	3 3	AM121680 (Kit), 19M7788 (Screw)
54”	G100		M115496 (Standard) GY20569 (Kit)	3 1	AM126580 (Kit), M134827 (Screw)
54”	G110, 190C		GY20684 (Kit - Standard) (Includes Hardware) GY20679 (Kit - Side Discharge/Bagging) BG20304 (Mulch Kit) GY20686 (Mulch Blade Kit) (Includes Hardware)	1 1 1 1	M149625 (Washer), GX21694 (Locknut)
54”	LA150		GY20684 (Kit - Standard) (Includes Hardware) BG20304 (Mulch Kit) GY20686 (Mulch Blade Kit) (Includes Hardware)	1 1 1	M149625 (Washer), GX21694 (Locknut)
54”	LA175		GY20679 (Standard) (Includes Hardware) GY20686 (Mulch Blade Kit) BG20304 (Mulch Kit)	1 1 1	M149625 (Washer), GX21694 (Locknut)
54C	X340 Select Series		M143520 (Standard) M152726 (High Lift) M145516 (Mulch) BM20827 (Mulch Kit)	3 3 3	M147138 (Washer), 19M7872 (Cap Screw)
54C	X500, X520, X530, X534, X540 Multi-Terrain		M143520 (Standard) M152726 (High Lift) M145516 (Mulch) BM20827 (Mulch Kit)	3 3 3 1	M147138 (Washer), 19M7872 (Cap Screw)
54HC	X710, X730, X734, X738, X739, X754, X758, X750		M164016 (Standard) M135334 (Mulch) BM23977 (Mulch Kit)	3 3 1	M147138 (Washer), 19M7872 (Cap Screw) M134305 (Deflector)
60”, 260 Rotary Mower	400 (H060X); 400, 420, 430 (M0272X); 318, 420, 430 (M00260)	H060X300001-468758, M0027XM488001-525000, M00260X488001-525000	M112847 (Standard) M120389 (Mulch)	3 3	M48453 (Washer), 19H2898 (Screw)
60”	425, 445, 455	M060HDXXXXXX	M141785 (Standard) M119206 (Mulch)	3 3	M123522 (Washer), M120173 (Bolt)
60”	400, 420, 430	M00272505001	M141785 (Standard) M141785 (High Lift)	3 3	M120173 (Bolt), M123522 (Washer)
60” Commercial Rear Discharge	X495, X595		M133381 (Low Lift)	3	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw)

X CAN REPRESENT ANY LETTER OR NUMBER IN SERIAL NUMBER

LAWN TRACTORS - LAWN AND GARDEN TRACTORS (Continued)

Model/ Deck Size	Used On	Serial Number	Blade	Qty.	Attaching Hardware
60D, 7-Iron	X700, X720, X728, X729, X740, X748, X749 Ultimate Series		TCU15881 (High Lift) M133381 (Export) M168223 (Mulch) TCB10953 (Mulch Kit) M145516 (Mulch) (X729)	3 3 3 1 3	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw)
60HC	X710, X730, X734, X738, X739, X754, X758, X750		M163983 (Standard) M168223 (Mulch) BM23978 (Mulch Kit)	3 3 1	M147138 (Washer), 19M7872 (Cap Screw) M134305 (Deflector)
62C	X465, X475, X485, X495, X575, X585, X595, and X700 Ultimate Series		M143504 (Standard) M152727 (High Lift) M145719 (Mulch)	3 3 3	19M7872 (Cap Screw), M131928 (Deflector), AM127432 (Spindle)

X CAN REPRESENT ANY LETTER OR NUMBER IN SERIAL NUMBER



SABRE LAWN TRACTORS AND LAWN AND GARDEN TRACTORS

Model/ Deck Size	Used On	Serial Number Prefix	Blade	Qty.	Attaching Hardware
38”	1338, 1438, 1538, 15.38, 15.538, 1638		GX00166 (Mulch) M74449 (Very Low Lift) (Export) AM141039 (Medium Lift Kit) AM141041 (High Lift Kit) (Use with Cut and Throw Bagger)	2 2 1 1	M134981 (Washer), M122113 (Washer), M143695 (Bolt)
38”	1438HS		GX00166 (Mulch) M74449 (Very Low Lift) (Export) AM141041 (High Lift Kit) AM141039 (Medium Lift Kit)	2 2 1 1	M134981 (Washer), M122113 (Washer), M143695 (Bolt)
42”	14.542GS		GX20249 (Standard)	4	19M7786 (Screw)
42”	1542, 15.542, 1642, 1642HV-Twin		M139802 (Mulch) M139803 (Bagging, w/o Powerflow)	2 2	M134981 (Washer), M122113 (Washer), M143695 (Bolt)
42”	1642HS		GX20249 (Standard)	2	19M7786 (Screw)
42”	1742GS, 1742HS		M139802 (Mulch) M139803 (Bagging, w/o Powerflow)	2 2	M134981 (Washer), M122113 (Washer), M143695 (Bolt)
42”	17.542HS		GX20249 (Standard)	2	19M7786 (Screw)
42”	1842GV		M139802 (Mulch) M139803 (Bagging)	2 2	M147138 (Washer), 19M7789 (Screw)
46”	1546, 1646	GXSABRC, GXSABRD, GXSABRH, GXSARE, GXSABRL	M41967 (Standard) (S.N. -XXXXXX), M127466 (Standard) (S.N. XXXXXX-)	3 3	M134981 (Washer), M122113 (Washer), M143695 (Bolt)
46”	1646, 1846HMS, 2046HS	GXSABAV, GXSABAP, GXSABBE	M127466 (Standard)	3	M134981 (Washer), M122113 (Washer), M143695 (Bolt)
46”	1846HV	GX1846B010001-XXXXXX	M127466 (Standard)	3	M134981 (Washer), M122113 (Washer), M143695 (Bolt)
48”	1842GV, 1948, 2048, 2148	 GX2148H010001-	M115495 (Standard-Medium Lift) M135589 (High Lift) M113517 (Mulch) GX20250 (Standard)	3 3 3 3	AM126580 (Kit), M134827 (Screw)
54”	2254, 2354, 2554		M115496 (Standard-Medium Lift) M135590 (High Lift) M113518 (Mulch)	3 3 3	AM126580 (Kit), M134827 (Screw)

X CAN REPRESENT ANY LETTER OR NUMBER IN SERIAL NUMBER



SCOTTS LAWN AND GARDEN TRACTORS

Model/ Deck Size	Used On	Serial Number Prefix	Blade	Qty.	Attaching Hardware
42”	L1742, L17.542		GX20249 (Standard)	2	19M7786 (Screw)
48”	L2048, L2548		GY20568 (Standard) GX20819 (Mulch)	3 3	19M7786 (Screw), M85516 (Locknut)
42”	S1742 Lawn Tractor	GXS1742010001-	M139802 (Mulch) M139803 (Bagging)	2 2	M134981 (Washer), M122113 (Washer), M143695 (Bolt)

SCOTTS LAWN AND GARDEN TRACTORS (Continued)

Model/ Deck Size	Used On	Serial Number Prefix	Blade	Qty.	Attaching Hardware
42”	S1642 Lawn Tractor	GXS1642010001-	M139802 (Mulch) M139803 (Bagging)	2 2	M134981 (Washer), M122113 (Washer), M143695 (Bolt)
46”	S2046, S2546 Lawn Tractor	GXS2046010001-	M127466 (Standard)	3	M134981 (Washer), M122113 (Washer), M143695 (Bolt)
48”	S2048, S2348 Yard Tractor	M0S2048010001-	M115495 (Medium Lift) M135589 (High Lift) M113517 (Mulch)	3 3 3	AM126580 (Kit), M134827 (Screw)
54”	S2554 Garden Tractor	M0S2554010001-	M115496 (Medium Lift) M135590 (High Lift) M113518 (Mulch)	3 3 3	AM126580 (Kit), M134827 (Screw)

X CAN REPRESENT ANY LETTER OR NUMBER IN SERIAL NUMBER



FRONT MOUNT MOWERS

Model/ Deck Size	Used On	Serial Number	Blade	Qty.	Attaching Hardware
38”	F510, F525		M82408 (Low Lift) AM141039 (Medium Lift Kit) AM141041 (High Lift Kit)	2 1 1	M92002 (Washer), 19H2563 (Cap Screw)
46”	F525 (Early Models)		M41967 (Standard)	3	M92002 (Washer) 19H2563 (Cap Screw)
48”	F725		M115496 (Standard) M135590 (Performance) (N.A.) M111523 (Performance) (Export) M135590 (High Lift)	3 3 3 3	AM121680 (Kit), 19M7788 (Screw), M131928 (Deflector)
48”	F525, F710, F735 (Diesel)		M115495 (Standard) M135589 (High Lift)	3 3	AM121680 (Kit), 19M7788 (Screw), M131928 (Deflector)
54”	F710, F725, F735 (Diesel)		M115496 (Standard) M135590 (High Lift)	3 3	AM121680 (Kit), 19M7788 (Screw), M131928 (Deflector)
50”	F910, F912, F915	M01061XXXXX	M86209 (Standard) M76461 (Medium Lift)	3 3	M92002 (Washer), 19H2563 (Cap Screw)
60”	F735 (Diesel)		M128485 (Standard)	3	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw), M131928 (Deflector)
60”	F910, F912, F915, F930, F932, F935	M01051XXXXXX, M01052XXXXXX	M141785 (Standard)	3	M120173 (Bolt), M48453 (Washer) (SN -505050), M123522 (Washer) (SN 505051-)
60” Rear Discharge	F910, F911, F912, F915, F930, F932, F935, F1145	M02880XXXXX, M060FMXXXXX	M141785 (Standard)	3	M123522 (Washer), M120173 (Bolt)
60”	F1145		M141785 (Standard)	3	M120173 (Bolt), LVU15343 (Washer)
60”	1400, 1500 Series	 (SN -060000) (SN 060001-)	TCU15881 (High Lift) M133381 (Low Lift) M168223 (Mulch) BM20517 (Mulch Kit) TCB10953 (Mulch Kit)	3 3 3 1 1	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw), M134305 (Deflector)
62” Rear Discharge	1400, 1500 Series		M144297 (Low Lift) TCU51118 (Standard) M144935 (Mulch) TCB10553 (Mulch Kit)	3 3 3 1	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw), M134305 (Deflector)
62”	1600, 1620, 1600 Turbo and 1600 Turbo Series II		TCU51118 (Standard) M144935 (Mulch) TCB10507 (Mulch Kit)	7 7 1	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw)

X CAN REPRESENT ANY LETTER OR NUMBER IN SERIAL NUMBER

FRONT MOUNT MOWERS (Continued)

Model/ Deck Size	Used On	Serial Number	Blade	Qty.	Attaching Hardware
72”	F930, F932, F935, F1145	M01001XXXXXX, M01002XXXXXX, M072FMXXXX	M141786 (Standard)	3	M120173 (Bolt), M123522 (Washer), M123520 (Washer)
72”	1400, 1500 Series		TCU15882 (High Lift) M141669 (Low Noise) (Export) M142514 (Mulch) TCB10951 (Mulch Kit)	3 3 3 1	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw), M134305 (Deflector)
72” Rear Discharge	1400, 1500 Series		EPC201693 (High Lift) M141669 (Low Noise) (Export) M142514 (Mulch) DMB210099 (Mulch Kit)	3 3 3 1	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw), M134305 (Deflector)
V-Flex 7-Iron	1400, 1500 Series		TCU15882 (High Lift) M142514 (Mulch) TCB10581 (Mulch Kit)	3 3 1	M123522 (Washer), 19M7489 (Cap Screw),
76” Swept Spindle	F930, F932, F935	M01070XXXXX	M70600 (Standard)	3	M120173 (Bolt), M123522 (Washer)
76” Rear Discharge	F930, F932, F935	M02490XXXXXX	M95713 (High Lift) M96827 (Standard)	3 3	M95508 (Bolt), M95503 (Washer), M95499 (2) (Washer), M95502 (Washer)

X CAN REPRESENT ANY LETTER OR NUMBER IN SERIAL NUMBER



ZTRAK™ MOWERS

Model/ Deck Size	Used On	Serial Number	Blade	Qty.	Attaching Hardware
48”	F620	-015000	M115495 (Standard) M135589 (High Lift) M113517 (Mulch) BM17868 (Mulch Kit)	3 3 3 1	AM121680 (Kit), 19M7788 (Screw)
48”	F620	015001-	M136194 (Standard) TCU30315 (High Lift) M136185 (Mulch) BM19503 (Mulch Kit)	3 3 3 1	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw)
48”	F680, F687, Z510A		M136194 (Standard) TCU30315 (High Lift) M136185 (Mulch) (Z510A)	3 3 3	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw)
48”	717, 717A		TCU30315 (High Lift) (717) TCU30315 (High Lift) M136185 (Mulch) BM19503 (Mulch Kit)	3 3 3 1	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw), M134305 (Deflector) (717 only)
48”	717E		TCU18678 (Standard) M136185 (Mulch) BM19503 (Mulch Kit) M127673 (Rear Discharge)	3 3 1 3	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw)
48”	Z810A		M136194 (Standard) TCU30315 (High Lift) M136185 (Mulch) TCB10952 (Mulch Kit)	3 3 3 1	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw), M134305 (Deflector)
48”	Z710A		M136194 (Standard) TCU30315 (High Lift) M136185 (Mulch)	3 3 3	19M7489 (Cap Screw) M123520 (Washer) M123522 (Washer)
60”	Z720A	(-030000) (030001-)	TCU15881 (High Lift) TCU30315 (High Lift) M128485 (Standard) M168223 (Mulch)	3 3 3 3	19M7489 (Cap Screw) M123520 (Washer) M123522 (Washer)
48”	Z820A		TCU21475 (Mulch On Demand) M136194 (Standard) TCU30315 (High Lift) M136185 (Mulch) TCB10952 (Mulch Kit)	3 3 3 1	M123522 (Washer), M123520 (Washer), 19M7489, (Capscrew)
48”	Z910A, Z920A		TCU30316 (Standard) TCU21475 (Multi-Purpose) TCU30317 (High Lift) M135334 (Mulch)	3 3 3 1	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw), M134305 (Deflector)

ZTRAK™ MOWERS (Continued)

Model/ Deck Size	Used On	Serial Number	Blade	Qty.	Attaching Hardware
48”	Z915B, Z920M, Z920R		M136194 (Standard) TCU30315 (High Lift) TCU21475 (Mulch On Demand) TCU18678 (Low Lift) M136185 (Mulch) TCB10952 (Mulch Kit)	3 3 3 3 3 1	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw), M134305 (Deflector)
54”	F620	-015000	M115496 (Standard) M113518 (Mulch) M135590 (High Lift)	3 3 3	AM121680 (Kit), 19M7788 (Screw)
54”	F620	015001-	TCU30316 (Standard) M135334 (Mulch)	3 3	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw)
54”	M653, M655, F680, F687, Z520A		TCU30316 (Standard) TCU30317 (High Lift) (Z520A, M653) M135334 (Mulch) (Z520A, M653) TCB10950 (Mulch Kit)	3 3 1 1	19M7489 (Cap Screw), M123520 (Washer), M123522 (Washer)
54”	Z710A		TCU30316 (Standard) TCU30317(High Lift) M135334 (Mulch)	3 3 3	19M7489 (Cap Screw) M123520 (Washer) M123522 (Washer)
54”	Z810A, Z820A, Z830A, Z840A, Z910A, Z920A, Z925A		TCU30316 (Standard) TCU30317 (High Lift) (Mulch On Demand) M135334 (Mulch) TCB10950 (Mulch Kit)	3 3 3 1	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw), M134305 (Deflector)
54”	Z915B, Z920M, Z920R Z925M EFI, Z925M EFI Flex Fuel, Z930R		TCU30316 (Standard) TCU30317 (High Lift) M135334 (Mulch) TCB11469 (Mulch Kit)	3 3 3 1	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw), M134305 (Deflector)
54”	Z925A EFI		TCU30317 (High Lift)	3 3	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw), M134305 (Deflector)
54”	727, 727A		TCU30317 (High Lift) M135334 (Mulch) (Z727A) BM19502 (Mulch Kit) (Z727A)	3 3 1	M123522 (Washer), M123520 (Washer), 19M7489 (Cap screw) M134305 (Deflector - 727)
54”	737, 757		TCU30316 (Standard) TCU30317 (High Lift) M135334 (Mulch) BM19502 (Mulch Kit) (SN -050000) TCB10950 (Mulch Kit) (SN 050001-)	3 3 3 1 1	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw), M134305 (Deflector)
60”	F620, M665, F680, F687, Z520A		M128485 (Standard) TCU15881 (High Lift) (Z520A) TCB10953 (Mulch Kit) M168223 (Mulch) (Z520A) M133381 (Low Lift) (M665)	3 3 1 3 3	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw)
60”	737, 757		M133381 (Low Lift) M128485 (Medium Lift) TCU15881 (High Lift) M168223 (Mulch) BM20517 (Mulch Kit) (SN -050000) TCB10953 (Mulch Kit) (SN 050001-) TCU18990 (757 Mulch on Demand)	3 3 3 3 1 1 3	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw), M134305 (Deflector)
60”	Z820A, Z830A, Z840A, Z850A, Z860A, Z920A, Z925A, Z930A, Z950A, Z960A		M128485 (Standard) (Z820A, 830A, 840A, 850A, Z860A) TCU15881 (High Lift) (Mulch On Demand) M168223 (Mulch) M133381 (Low Lift) TCB10953 (Mulch Kit)	3 3 3 3 1	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw), M134305 (Deflector)
60”	Z915B, Z920M, Z925M EFI, Z925M EFI Flex Fuel, Z930M, Z930M EFI, Z930R		M128485 (Standard Lift - 7-Iron) TCU15881 (High Lift) TCU18990 (Mulch On Demand) M168223 (Mulch) TCB10953 (Mulch Kit) M133381 (Low Lift) (Z930R)	3 3 3 3 1 3	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw), M134305 (Deflector)
60”	Z925A EFI		TCU15881 (High Lift) M133381 (Low Lift) M168223 (Mulch)	3 3 3	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw), M134305 (Deflector)
60”	Z950R, Z960R		TCU15881 (High Lift)	3	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw), M134305 (Deflector)
60”	777, 797		TCU15881 (High Lift) M128485 (Medium Lift) M168223 (Mulch) BM20517 (Mulch Kit)	3 3 3 1	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw)
60”	997		TCU15881 (Standard/High Lift) (Side Discharge) M128485 (Standard/High Lift) (Rear Discharge) M133381 (Low Lift)	3 3 3	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw)
72”	777, 797		TCU15882 (High Lift) M141669 (Export) M142514 (Mulch) BM20490 (Mulch Kit)	3 3 3 1	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw)

ZTRAK™ MOWERS (Continued)

Model/ Deck Size	Used On	Serial Number	Blade	Qty.	Attaching Hardware
72”	Z830A, Z850A, Z860A, Z930A, Z950A, Z960A, Z970A		TCU15882 (High Lift) M142514 (Mulch) TCB10951 (Mulch Kit)	3 3 1	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw), M134305 (Deflector)
72”	Z930M, Z970R		TCU15882 (High Lift) M141669 (Low Lift) M142514 (Mulch) TCB10951 (Mulch Kit)	3 3 3 1	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw), M134305 (Deflector)
72”	997		TCU15882 (Standard/High Lift) (Side Discharge) M141669 (Low Lift) (Side Discharge)	3 3	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw)
72”	Z950R, Z960R		TCU15882 (High Lift)	3	M123522 (Washer), M123520 (Washer),19M7489 (Cap Screw), M134305 (Deflector)

X CAN REPRESENT ANY LETTER OR NUMBER IN SERIAL NUMBER



EZTRAK™ MOWERS

Model/ Deck Size	Used On	Serial Number Prefix	Blade	Qty.	Attaching Hardware
42”	Z225	(-080000) (-080000) (-080000) (-080000) (080001-) (080001-) (080001-) (080001-) (080001-)	AM137333 (Standard) AM141033 (Mulch) AM141034 (Bagging) AM141032 (Side Discharge) AM141031 Kit (includes GX22151) (Standard) AM141033 Kit (Mulch) AM141034 Kit (Bagging) AM141032 Kit, Side Discharge) AM141033 Kit, (In Mulch Kit) BM21816 (Mulch Kit)	1 1 1 1 1 1 1 1 1 1	SN (-080000) M147138 (Washer), SN (080000-) M149625 (Washer) SN (-080000) M156419 (Locknut) SN (080001-) M159140 (Locknut)
48”	Z235		AM141031Kit (includes GX22151 (Standard) AM141032 Kit, Side (Discharge) AM141033 Kit, (In Mulch Kit)	2 1 1	M15940 (Locknut) M149625 (Washer)
48”	Z245, Z255		AM141035 (3 in 1 Kit) (Includes (3) GX21784) AM141036 (Bagging Kit) (Includes (3) GX21785)	1 1	M149625 (Washer) M159140 (Locknut)
48”	Z425		M145476 (Standard) M127673 (Mulch) BM20007 (Mulch Kit)	3 3 1	M147138 (Washer), 19M7872 (Cap Screw)
48”	Z445		M145476 (Standard) M127673 (Mulch) BM20007 (Mulch Kit) (NLA)	3 3 1	M147138 (Washer), 19M7872 (Cap Screw)
	Z645		TCU30315 (Standard/High Lift)	3 3	19M7481 (Cap Screw) M123520 (Washer) M123522 (Washer)
	Z655		TCU30316 (Standard)	3	19M7481 (Cap Screw) M123520 (Washer) M123522 (Washer)
60HC	Z665		TCU15881 (Standard)	3	19M7481 (Cap Screw) M123520 (Washer) M123522 (Washer) (SN -130000) M147138 (Washer) (SN 130001-)
54”	Z425		M143520 (Standard) M152726 (High Lift) M145516 (Mulch) BM20827 (Mulch Kit)	3 3 3 1	19M7872 (Cap Screw) M147138 (Washer)
54”	Z445		M143520 (Standard) M152726 (High Lift) TCU30316 (High Capacity) M145516 (Mulch) BM20827 (Mulch Kit) (NLA)	3 3 3 3 1	M147138 (Washer), 19M7872 (Cap Screw) M123520 (Washer), (HC) M123522 (Washer) (HC), 19M7489 (Cap Screw) (HC)
62C	Z465		M158112 (Standard) M145719 (Mulch)	3 3	M147138 (Washer) 19M7872 (Cap Screw)

X CAN REPRESENT ANY LETTER OR NUMBER IN SERIAL NUMBER



QUIK-TRAK™ MOWERS

Model/ Deck Size	Used On	Serial Number Prefix	Blade	Qty.	Attaching Hardware
48”	647, 647A		TCU30315 (Standard/High Lift)	3 3 3 1	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw), M134305 (Deflector)
48”	648R		TCU34166 (Standard) TCU35392 (Mulch) BTC10537 (Mulch Kit)	3 3 1	TCU34839 (Spacer), TCU34111 (Washer), 19H3583 (Cap Screw)
52”	652R, 652B, 652R EFI		TCU34280 (Standard) TCU35393 (Mulch) BTC10560 (Mulch Kit)	3 3 1	TCU34839 (Spacer), TCU34111 (Washer), 19H3583 (Cap Screw)
54”	657, 657A		TCU30316 (Medium Lift) TCU30317 (High Lift) M135334 (Mulch) BM19502 (Mulch Kit)	3 3 3 1	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw)
60”	667, 667A		M128485 (Medium Lift) (667) TCU15881 (High Lift) (667, 667A) M168223 (Mulch) (667) BM20517 (Mulch Kit) (667)	3 3 3 1	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw)
61”	661R, 661R EFI		TCU34281 (Standard) TCU35394 (Mulch) BTC10561 (Mulch Kit)	3 3 1	TCU34839 (Spacer), TCU34111 (Washer), 19H3583 (Cap Screw)

X CAN REPRESENT ANY LETTER OR NUMBER IN SERIAL NUMBER



COMPACT UTILITY TRACTORS

Model/ Deck Size	Used On	Serial Number	Blade	Qty.	Attaching Hardware
50”	655	M02760XXXXXX	M86209 (Low Lift) M76461 (Medium Lift)	3 3	19H2563 (Cap Screw), M92002 (Washer)
54”	54 Rotary Cutter		PT5478 (Standard)	2	12H318 (Lock Washer) (2), 14H889 (Nut), 11H218 (Pin)
54”	4100		M115496 (Standard)	3	AM121680 (Kit), 19M7788 (Screw)
54C, 54D	2210, 2305, 2320		M143520 (Standard) M152726 (High Lift) M145516 (Mulch) BM20827 (Mulch Kit)	3 3 3 1	19M7872 (Cap Screw), M147138 (Washer)
54D	1023E, 1025R, 1026R		M142520 (Standard)	3	19M7872 (Bolt) (3) M147138 (Washer) (3) M134305 (Deflector)
60HC	1025R		M163983 (Standard)	3	19M7872 (Bolt) (3) M147138 (Washer) (3) M134305 (Deflector)
60D	1023E, 1026R		TCU15881 (Standard)	3	19M7489 (Bolt) (3) M123520 (Lock Washer) (3) M123522 (Flat Washer) (3)
60”	755, 855, 955, 670, 770, 790	M0273XXXXXX	M141785 (Standard)	3	M123522 (Washer), 19M7759 (Cap Screw), (S.N. M02733-) M120173 (Bolt)
60D”	3120, 3320, 3520, 3720	-XXXXXX XXXXXX-	TCU15881 (High Lift) M168223 (Mulch) M133381 (Export) BM20517 (Mulch Kit) TCB10954 (Mulch Kit)	3 3 1 1	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw)

X CAN REPRESENT ANY LETTER OR NUMBER IN SERIAL NUMBER


COMPACT UTILITY TRACTORS (Continued)

Model/ Deck Size	Used On	Serial Number	Blade	Qty.	Attaching Hardware
60”	4100		M141785 (Standard) M119206 (Mulch) BM17878 (Mulch Kit)	3 3 1	M123522 (Washer), M123520 (Washer), 19M7759 (Cap Screw) (Use with AM120965 spindle), 19M7489 (Cap Screw) (Use with AM123184 spindle)
60”	4200, 4300, 4400		M128485 (Standard) M133381 (Low Lift) (Export)	3 3	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw)
60” Commercial Rear Discharge	2520		M128485 (Standard)	3	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw)
60”	4210, 4310, 4410		M128485 (Standard) TCU15881 (High Lift) M168223 (Mulch) BM20517 (Mulch Kit)	3 3 3 1	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw), M134305 (Deflector),
60” 3-Point Hitch	755, 855, 955, 670, 770, 790, 870, 970	M0289XXXXXXX	M141785 (Standard)	3	M123522 (Washer), 19M8635 (Screw)
62C	2305, 2210	-XXXXXX XXXXXX-	M143504 (Standard) M145719 (Mulch) BM20939 (Mulch Kit) BM21890 (Mulch Kit)	3 3 1 1	19M7872 (Cap Screw), M147138 (Washer)
62D	2320, 2520, 2720		M143504 (Standard) M145719 (Mulch) BM21890 (Mulch Kit)	3 3 1	19M7872 (Cap Screw), M147138 (Washer)
160, 261 3-Point Hitch	(160) 650, 655; (261) 755, 855, 955, 670, 770, 790, 870, 970, 990, 1070, 650, 750, 850, 950, 1050, 900HC, 2305, 2320, 2520, 3005, 3032E, 3036E, 3038E, 3120, 3320, 3520, 3720, 4005, 4120, 4320, 4520, 4720	-525000	M112847 (Standard)	3	19H1815 (Screw), M48453 (Washer)
		525001-	M141785 (Standard)	3	19M7759 (Screw), M123522 (Washer)
72”	855, 955, 870, 970, 1070	M00297XXXXXX, M00296XXXXXX	M141786 (Standard)	3	M123522 (Washer), M123520 (Washer), M120173 (Bolt)
72”	3120, 3320, 3520, 3720, 4120, 4320, 4520, 4720		TCU15882 (High Lift) M141669 (Export) M142514 (Mulch) BM20490 (Mulch Kit)	3 3 1	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw)
72”	2520, 2720		M141786 (Standard) M119565 (Export) M119975 (Mulch) BM18151 (Mulch Kit)	3 3 3	19M7759 (Screw), M123522 (Washer), M123520 (Washer)
72D	3120, 3320, 3520, 3720		TCU15882 (High Lift) M141669 (Export)	3 3	M123522 (Washer), M123520 (Washer), 19M7489 (Cap Screw)
72”	4200, 4300, 4400, 4500, 4600, 4700		M141786 (Standard) M119975 (Mulch) BM18151 (Mulch Kit)	3 3 1	M123522 (Washer), M123520 (Washer), 19M7759 (Cap Screw)
72”	4210, 4310, 4410, 4510, 4610, 4710		M141786 (Standard) M119975 (Mulch) BM18151 (Mulch Kit)	3 3 1	M123520 (Washer), M123522 (Washer), LVU15343 (Washer), 19M7759 (Screw), M93090 (Guard)
72” 172 272 3-Point Hitch	750, 850, 950 850, 950, 1050 755, 855, 955, 670, 770, 790, 870, 970, 990, 1070, 650, 750, 850, 950, 1050, 900HC, 2320, 2520, 3005, 3032E, 3036E, 3038E, 3120, 3320, 3520, 3720, 4005, 4120, 4320, 4520, 4720	H072XXXXXXXXX, M00072XXXXXXX M00172XXXXXXX M00272XXXXXXX, H272XXXXXXXXX	M141786 (Standard) M83363 (Low Lift)	3 3	19H1833 (Screw) (Non-Greaseable Spindle), 19M7759 (Screw) (Greaseable Spindle), M123522 (Washer)
397			HB6326 (Standard) (Set Of 3)	1	19H2993 (Screw) (2), BP12214 (Locknut) (2)

X CAN REPRESENT ANY LETTER OR NUMBER IN SERIAL NUMBER

TRICYCLER MULCHING BLADES

Deck Size	Blade Size	Qty.	Blade
21”	20-13/16” (630 MM)	1	M125413 (Mulch)
30”	29-1/4” (742.7 MM)	1	M118958 (Mulch)
36”	18-21/32” (474 MM)	2	M122467 (Mulch)
38” Commercial W/B	14” (355.7 MM)	3	M119233 (Mulch)
38”	19-17/32” (496 MM)	1	AM141040 (Mulch Kit)
46”	16” (407 MM)	3	M119232 (Mulch)
48”	17-1/16” (433.4 MM)	3	M136185 (Mulch)
48”	16-11/16” (423.8 MM)	3	M113517 (Mulch)
54”	16-11/16” (423.8 MM)	3	M113518 (Mulch)
54”	19-1/16” (484 MM)	3	M135334 (Mulch)
60”	20-1/2” (521.2 MM)	3	M119206 (Mulch)
60”	20-61/64” (533 MM)	3	M168223 (Mulch)
60”	21-1/16” (535 MM)	3	TCU18990 (Mulch on Demand)
72”	25” (634 MM)	3	M119975 (Mulch)
72”	25-1/16” (636.6 MM)	3	M142514 (Mulch)



BLADE SPECIFICATION CHART

Length	Width	Height	Thickness	Hole Size	Lift	Blade Number
------	------	------	------	------	Standard	HB6326
------	------	------	------	------	Standard	M44767
------	------	------	------	------	Standard	M44796
------	------	------	------	------	Standard	M46059
------	------	------	------	------	Standard	M46073
------	------	------	------	------	High	M95713
------	------	------	------	------	Standard	PT5478
------	------	------	------	------	Standard	GX22250

Length	Width	Height	Thickness	Hole Size	Lift	Blade Number
------	------	------	------	------	Standard	GX23522
------	------	------	------	------	Mulch	GX22454
------	------	------	------	------	Standard	PT8510
14” (355.6 MM)	2” (50.8 MM)	13/16” (20.64 MM)	13/64” (5.16 MM)	11/16” (17.46 MM)	Standard	M40210
14” (355.6 MM)	2-1/2” (63.5 MM)	54/64” (20.3 MM)	13/64” (5.16 MM)	11/16” (17.53 MM)	Mulch	M119233
14” (355.6 MM)	2-1/2” (63.5 MM)	1-9/64” (29 MM)	13/64” (5.16 MM)	51/64” (20.25 MM)	Standard	M115759
14-7/64” (358 MM)	2” (50.8 MM)	54/64” (20.3 MM)	13/64” (5 MM)	11/16” (17.53 MM)	Standard	M41237
15-13/32” (402 MM)	2-1/2” (63.5 MM)	3/4” (19.05 MM)	5/32” (4 MM)	51/64” (20.25 MM)	Lower Mulch	M119799
15-13/32” (402 MM)	3-5/16” (83.8 MM)	19/32” (15 MM)	5/32” (4 MM)	51/64” (20.25 MM)	Upper Mulch	M119798
15-13/32” (402 MM)	2-1/2” (63.5 MM)	3/4” (19 MM)	5/32” (4 MM)	51/64” (20.25 MM)	Side Discharge	M121589
15-13/32” (402 MM)	2-1/2” (63.5 MM)	3/4” (19 MM)	5/32” (4 MM)	51/64” (20.25 MM)	Mulch	M159046
16” (406.4 MM)	2” (50.8 MM)	13/16” (20.64 MM)	13/64” (5.16 MM)	11/16” (17.46 MM)	Standard	M41967
16” (406.4 MM)	2-1/2” (63.5 MM)	25/32” (20 MM)	3/16” (5.18 MM)	43/64” (17.13 MM)	Standard	M127466
16” (406.4 MM)	2-1/2” (63.5 MM)	31/64” (12.3 MM)	13/64” (5.16 MM)	5/8” (15.88 MM)	Standard	PT11136
16” (406.4 MM)	2-1/2” (63.5 MM)	1” (25.4 MM)	13/64” (5.16 MM)	5/8” (15.88 MM)	High	AM104488
16-1/32” (407.4 MM)	2-1/2” (63.5 MM)	51/64” (20.3 MM)	13/64” (5.16 MM)	11/16” (17.46 MM)	Mulch	M119232
16-1/2” (418.6 MM)	2-1/2” (63.5 MM)	61/64” (24 MM)	13/64” (5.16 MM)	5/8” (16 MM)	Standard	TCU34166
16-1/2” (418.6 MM)	2-1/2” (63.5 MM)	61/64” (24 MM)	13/64” (5.16 MM)	5/8” (16 MM)	Mulch	TCU35392
16-1/2” (419.1 MM)	2-1/2” (63.5 MM)	1” (25.4 MM)	13/64” (5.16 MM)	5/8” (15.88 MM)	High	AM104489
16-1/2” (419.1 MM)	2-1/2” (63.5 MM)	31/64” (12.3 MM)	13/64” (5.16 MM)	5/8” (15.88 MM)	Standard	M73509
16-5/8” (422 MM)	2-1/4” (57.2 MM)	1-9/64” (29 MM)	3/16” (5.18 MM)	25/32” (20 MM)	High	M135589
16-21/32” (423.07 MM)	2-1/2” (63.5 MM)	1-9/64” (29 MM)	13/64” (5.16 MM)	51/64” (20.25 MM)	Standard	M115495
16-21/32” (423 MM)	2-1/2” (63.5 MM)	54/64” (20.3 MM)	13/64” (5.16 MM)	51/64” (20.25 MM)	Performance	M135589
16-11/16” (423.8 MM)	2-1/2” (63.5 MM)	54/64” (20.3 MM)	13/64” (5.16 MM)	25/32” (20 MM)	Mulch	M113518
16-11/16” (423.8 MM)	2-1/2” (63.5 MM)	54/64” (20.3 MM)	13/64” (5 MM)	51/64” (20.25 MM)	Mulch	M113517
16-59/64” (430 MM)	2-1/2” (63.5 MM)	1-3/8” (35.07 MM)	3/16” (4.75 MM)	7/8” (22.43 MM)	Bagging	GX21785
17-3/64” (433 MM)	2-3/4” (69.85 MM)	1-7/32” (31 MM)	5/32” (3.96 MM)	7/8” (22.43 MM)	Mulch	GX21786
17-3/64” (433 MM)	2-1/2” (63.5 MM)	1-9/64” (29 MM)	1/4” (6.35 MM)	29/32” (23 MM)	Standard	M136194
17-3/64” (433 MM)	2-1/2” (63.5 MM)	47/64” (18.9 MM)	1/4” (6.35 MM)	29/32” (23 MM)	Mulch	M136185
17-3/64” (433 MM)	2-1/2” (63.5 MM)	57/64” (21.8 MM)	13/64” (5 MM)	51/64” (20.25 MM)	Standard, Side Discharge	M145476
17-3/64” (433 MM)	2-11/16” (68.5 MM)	1-7/32” (31 MM)	5/32” (3.96 MM)	11/16” (17.5 MM)	Standard	GX21784
17-1/16” (433.4 MM)	2-1/2” (63.6 MM)	1-7/64” (28 MM)	1/4” (6.35 MM)	29/32” (23 MM)	Multi-Purpose	TCU21475
17-1/16” (433.4 MM)	3” (76.2 MM)	1-19/64” (33 MM)	1/4” (6.35 MM)	29/32” (23 MM)	High	TCU30315
17-1/16” (433.4 MM)	3-15/64” (82 MM)	1-1/64” (25.7 MM)	1/4” (6.35 MM)	29/32” (23 MM)	Standard	TCU18678
17-7/64” (434.4 MM)	2-1/2” (63.5 MM)	37/64” (15 MM)	13/64” (5.16 MM)	51/64” (20.25 MM)	Mulch	M127673
17-21/64” (439.8 MM)	2-1/2” (63.5 MM)	51/64” (20 MM)	7/32” (5.18 MM)	7/32” (5.18 MM)	Standard	M86209
17-21/64” (439.8 MM)	2-1/2” (63.5 MM)	1-3/16” (30 MM)	7/32” (5.18 MM)	11/16” (17.53 MM)	Medium	M76461
17-7/16” (442.5 MM)	2” (50.8 MM)	1/2” (12.7 MM)	13/64” (5.16 MM)	11/16” (17.46 MM)	Low	M46269
17-7/16” (442.5 MM)	2” (50.8 MM)	51/64” (20.3 MM)	13/64” (5.16 MM)	11/16” (17.46 MM)	Standard	M41646
18” (456.7 MM)	2-1/2” (63.5 MM)	45/64” (17.86 MM)	13/64” (5.16 MM)	5/8” (16 MM)	Standard	TCU34280

Length	Width	Height	Thickness	Hole Size	Lift	Blade Number
18” (456.7 MM)	2-1/2” (63.5 MM)	45/64” (17.86 MM)	13/64” (5.16 MM)	5/8” (16 MM)	Mulch	TCU35393
18” (457.2 MM)	2-1/4” (57.15 MM)	1” (25.4 MM)	1/8” (3.18 MM)	3/8” (9.53 MM)	Standard	PT9190
18” (457.2 MM)	2-1/2” (63.5 MM)	31/64” (12.3 MM)	13/64” (5.16 MM)	5/8” (15.88 MM)	Standard	PT8721
18” (457.2 MM)	2-1/2” (63.5 MM)	1” (25.4 MM)	13/64” (5.16 MM)	5/8” (15.88 MM)	High	AM104490
18” (458.2 MM)	2-1/2” (63.5 MM)	151/64” (20.3 MM)	13/64” (5.00 MM)	5/8” (16 MM)	Standard	TCU29188
18-21/32” (474 MM)	2-1/2” (63.5 MM)	25/32” (20 MM)	13/64” (5.16 MM)	51/64” (20.25 MM)	Performance	M135590
18-21/32” (474 MM)	2-1/2” (63.5 MM)	1-1/8” (28.58 MM)	13/64” (5.16 MM)	1-3/4” (44.2 MM)	Standard	M122455
18-21/32” (474 MM)	2-1/2” (63.5 MM)	29/32” (23 MM)	13/64” (5.16 MM)	1-3/4” (44.2 MM)	Standard	M126307
18-21/32” (474 MM)	2-1/2” (63.5 MM)	1” (26.3 MM)	3/16” (5.18 MM)	51/64” (20.25 MM)	High	M135590
18-21/32” (474 MM)	2-1/2” (63.5 MM)	29/32” (23 MM)	1/4” (6.35 MM)	1-3/4” (44.2 MM)	Mulch	M122467
18-31/32” (482 MM)	2-1/2” (63.5 MM)	53/64” (31.7 MM)	15/64” (6 MM)	51/64” (20.25 MM)	Mulch	M145516
18-31/32” (482 MM)	2-1/2” (63.5 MM)	1-1/4” (31.7 MM)	13/64” (5.18 MM)	51/64” (20.25 MM)	Standard	M143520
18-45/64” (474.8 MM)	2-1/2” (63.5 MM)	15/32” (29 MM)	13/64” (5 MM)	51/64” (20.25 MM)	Standard	M115496
18-45/64” (475 MM)	3-11/32” (85 MM)	1-19/64” (32.91 MM)	5/32” (3.96 MM)	57/64” (22.43 MM)	Rear Discharge	GX24567
18-45/64” (475 MM)	3-11/32” (85 MM)	1-19/64” (32.91 MM)	5/32” (3.96 MM)	57/64” (22.43 MM)	Rear Discharge	GX24566
19-1/16” (484 MM)	2-1/2” (63.5 MM)	37/64” (15 MM)	1/4” (6.35 MM)	29/32” (23 MM)	Standard	TCU30316
19-1/16” (484 MM)	2-1/2” (63.5 MM)	11/16” (17.5 MM)	1/4” (6.35 MM)	29/32” (23 MM)	Mulch	M135334
19-1/16” (484 MM)	3” (76.2 MM)	1-19/64” (33 MM)	1/4” (6.35 MM)	29/32” (23 MM)	High	TCU30317
19-1/16” (484.2 MM)	2-3/4” (69.85 MM)	1-25/64” (35.3 MM)	13/64” (5 MM)	29/32” (23 MM)	Standard	M164016
19-1/2” (495.3 MM)	2-1/2” (63.5 MM)	3/4” (19.05 MM)	13/64” (5.16 MM)	11/16” (17.46 MM)	Standard	M82408
19-33/64” (496 MM)	2-1/4” (57.15 MM)	55/64” (22 MM)	11/64” (4.57 MM)	11/16” (17.46 MM)	Side Discharge	GX00166
19-33/64” (496 MM)	2-1/2” (63.5 MM)	1-7/32” (31 MM)	13/64” (5.16 MM)	11/16” (17.46 MM)	Mulch Kit	AM141040
19-33/64” (496 MM)	3 (76.2 MM)	1-9-/16” (39.74 MM)	7/32” (5.18 MM)	57/64” (22.44 MM)	Med. Lift Kit	AM141039
19-33/64” (496 MM)	3 (76.2 MM)	1-31/32” (50 MM)	7/32” (5.18 MM)	11/16” (17.53 MM)	High Lift Kit	AM141041
19-17/32” (496.4 MM)	2-17/32” (64 MM)	1/2” (12.7 MM)	7/32” (5.18 MM)	11/16” (17.53 MM)	Very Low	M74449
20” (508 MM)	2-1/4” (57.15 MM)	5/8” (15.88 MM)	1/8” (3.18 MM)	3/8” (9.53 MM)	Standard	PT6963
20-1/2” (520.8 MM)	2-1/2” (63.5 MM)	31/32” (24.4 MM)	5/16” (7.92 MM)	29/32” (23 MM)	High	M141785
20-1/2” (521.2 MM)	2” (50.8 MM)	53/64” (21.1 MM)	5/16” (7.92 MM)	29/32” (23 MM)	Mulch	M119206
20-1/2” (521.2 MM)	2” (50.8 MM)	1-3/16” (30.48 MM)	13/64” (5.16 MM)	3/4” (19.05 MM)	Standard	M112847
20-1/2” (521.2 MM)	2-1/2” (63.5 MM)	1” (25.4 MM)	5/16” (7.94 MM)	29/32” (23.02 MM)	Standard	M141785
20-35/64” (522.2 MM)	2-1/2” (63.5 MM)	53/64” (21.1 MM)	5/16” (7.92 MM)	25/32” (19.79 MM)	Mulch	M120389
20-3/4” (527.05 MM)	3” (76.2 MM)	7/8” (22.23 MM)	1/8” (3.18 MM)	3/8” (9.53 MM)	Standard	PT14764
20-3/4” (527.05 MM)	3” (76.2 MM)	7/8” (22.23 MM)	1/8” (3.18 MM)	3/8” (9.53 MM)	Standard	PT14765
20-3/4” (527.05 MM)	3” (76.2 MM)	7/8” (22.23 MM)	1/8” (3.18 MM)	3/8” (9.53 MM)	Standard	PT14766
20-7/8” (530 MM)	2-3/4” (69.85 MM)	15/16” (23.5 MM)	1/8” (3.18 MM)	29/32” (23 MM)	Low	M92810
20-7/8” (530 MM)	2-3/4” (69.85 MM)	1” (25.5 MM)	1/8” (3.18 MM)	3/8” (9.75 MM)	High	GX21702
20-7/8” (530 MM)	2-3/4” (69.85 MM)	15/16” (23.5 MM)	1/8” (3.18 MM)	29/32” (23 MM)	Mulch	M125413
20-7/8” (530 MM)	2-3/4” (69.85 MM)	13/32” (10.32 MM)	1/8” (3.18 MM)	29/32” (23 MM)	Standard	M77178
20-7/8” (530 MM)	2-3/4” (69.85 MM)	13/32” (10.32 MM)	1/8” (3.18 MM)	29/32” (23 MM)	Notched Mulch	M125808
20-7/8” (530 MM)	2-3/4” (69.85 MM)	13/32” (10.32 MM)	1/8” (3.18 MM)	29/32” (23 MM)	Mulch	M125808

Length	Width	Height	Thickness	Hole Size	Lift	Blade Number
20-7/8” (530 MM)	2-3/4” (69.85 MM)	15/32” (12 MM)	1/8” (3.18 MM)	25/64” (9.75 MM)	Bagging	GC00175
21” (532.9 MM)	2-1/2” (63.5 MM)	45/64” (17.86 MM)	13/64” (5.16 MM)	5/8” (16 MM)	Standard	TCU34281
21” (532.9 MM)	2-1/2” (63.5 MM)	45/64” (17.86 MM)	13/64” (5.16 MM)	5/8” (16 MM)	Mulch	TCU35394
21” (533 MM)	2-1/2” (63.5 MM)	1” (25 MM)	1/4” (6.35 MM)	29/32” (23 MM)	Mulch	M168223
21” (533 MM)	2-3/4” (69.85 MM)	1-15/32” (37.1 MM)	13/64” (5 MM)	29/32” (23 MM)	Standard	M163983
21” (534 MM)	2-1/2” (63.5 MM)	1” (25 MM)	5/16” (7.92 MM)	29/32” (23 MM)	Standard	M128485
21” (534 MM)	2-3/4” (69.85 MM)	1-3/16” (30 MM)	1/8” (3.18 MM)	3/8” (9.75 MM)	Standard	GC00344
21-1/16” (535 MM)	3” (76.2 MM)	1-19/64” (33 MM)	1/4” (6.35 MM)	29/32” (23 MM)	High Lift	TCU15881
21-1/16” (535 MM)	3-15/64” (82 MM)	1-1/64” (26 MM)	1/4” (6.35 MM)	29/32” (23 MM)	Low Lift	M133381
21-1/16” (535 MM)	2-1/2” (63.5 MM)	1-1/32” (26.1 MM)	1/4” (6.35 MM)	29/32” (23 MM)	Mulch	TCU18990
21-13/32” (544 MM)	2-1/2” (63.5 MM)	29/32” (23 MM)	13/64” (5.16 MM)	51/64” (20.21 MM)	Mulch	M159046
21-13/32” (544 MM)	2-1/2” (63.5 MM)	1-3/8” (35 MM)	13/64” (5.16 MM)	51/64” (20.21 MM)	High	M159047
21-13/32” (544 MM)	2-1/2” (63.5 MM)	55/64” (21.7 MM)	1/4” (6.35 MM)	51/64” (20.25 MM)	Mulch	M145719
21-13/32” (544 MM)	2-11/16” (68.1 MM)	29/32” (23.1 MM)	5/32” (3.96 MM)	11/16” (17.5 MM)	Standard	GX22151
21-13/32” (544 MM)	2-3/4” (69.85 MM)	1-21/64” (33.7 MM)	3/16” (4.75 MM)	11/16” (17.5 MM)	Side Discharge Kit	AM141032
21-13/32” (544 MM)	2-3/4” (69.85 MM)	1-1/4” (32 MM)	3/16” (4.75 MM)	51/64” (20.21 MM)	Side Discharge	M148613
21-13/32” (544 MM)	2-3/4” (69.85 MM)	1-13/32” (35.7 MM)	3/16” (4.75 MM)	57/64” (22.43 MM)	Bagging Kit	AM141034
21-7/16” (544.6 MM)	3-7/32” (81.92 MM)	1-5/16” (33.4 MM)	3/16” (4.75 MM)	11/16” (17.5 MM)	Rear Discharge	GX23228
21-7/16” (544.6 MM)	3-7/32” (81.92 MM)	1-5/16” (33.4 MM)	3/16” (4.75 MM)	11/16” (17.5 MM)	Rear Discharge	GX23227
21-15/32” (545.2 MM)	2-1/4” (57.2 MM)	1-9/64” (29 MM)	5/32” (4 MM)	11/16” (17.5 MM)	Side Discharge	M139803
21-15/32” (545.2 MM)	2-1/2” (63.5 MM)	61/64” (24.4 MM)	5/32” (4 MM)	11/16” (17.5 MM)	Mulch	M139802
21-15/32” (545.2 MM)	2-1/2” (63.5 MM)	1-13/64” (30.1 MM)	5/32” (4 MM)	11/16” (17.5 MM)	Bagging	M139803
21-15/32” (545.2 MM)	2-1/2” (63.5 MM)	1-61/64” (24.3 MM)	5/32” (3.97 MM)	43/64” (17.13 MM)	Standard	GX20249
21-15/32” (545.2 MM)	2-1/2” (63.5 MM)	1-11/64” (29.8 MM)	5/32” (3.97 MM)	43/64” (17.13 MM)	Bagging/ Mulch	GX20433
21-15/32” (545.5 MM)	2-3/4” (69.85 MM)	63/64” (25 MM)	3/16” (4.75 MM)	57/64” (22.43 MM)	Mulch Kit	AM140973
21-15/32” (545.5 MM)	2-3/4” (69.85 MM)	63/64” (25 MM)	3/16” (4.75 MM)	57/64” (22.43 MM)	Mulch Kit	AM140973
21-23/32” (551.6 MM)	2-1/2” (63.5 MM)	1-9/32” (32.9 MM)	1/4” (6.35 MM)	51/64” (20.25 MM)	Standard	M143504
21-23/32” (551.6 MM)	3” (76.2 MM)	1-19/64” (33 MM)	1/4” (6.35 MM)	51/64” (20.25 MM)	High Lift	M152727
21-3/4” (552.45 MM)	2-1/4” (57.15 MM)	1” (25.4 MM)	1/8” (3.18 MM)	3/8” (9.53 MM)	Standard	PT6921
22” (558.8 MM)	2-1/2” (63.5 MM)	51/64” (20.3 MM)	13/64” (5.00 MM)	5/8” (16.00 MM)	Standard	TCU29299
24-31/32” (634 MM)	2-1/2” (63.5 MM)	31/32” (24.4 MM)	5/16” (7.92 MM)	29/32” (23 MM)	Standard	M141786
24-63/64” (634.6 MM)	3-15/64 (82 MM)	1” (25 MM)	1/4” (6.35 MM)	29/32” (23 MM)	Low Noise	M141669
24-63/64” (634.6 MM)	2-35/64 (65 MM)	1” (25 MM)	1/4” (6.35 MM)	29/32” (23 MM)	High Lift	EPC201693
25” (635 MM)	2-1/2” (63.5 MM)	9/16” (14.29 MM)	5/16” (7.94 MM)	29/32” (23.02 MM)	Standard	M83363
25” (635 MM)	2-1/2” (63.5 MM)	25/32” (20 MM)	5/16’” (7.92 MM)	29/32” (23.02 MM)	Mulch	M119975
25” (635 MM)	2-1/2” (63.5 MM)	1” (25.4 MM)	5/16” (7.94 MM)	29/32” (23.02 MM)	Standard	M141786
25-1/16” (636.6 MM)	3” (76.2 MM)	1-19/64” (33 MM)	1/4” (6.35 MM)	29/32” (23 MM)	High Lift	TCU15882
25-1/16” (636.6 MM)	2-1/2” (63.5 MM)	1” (25 MM)	1/4” (6.35 MM)	29/32” (23 MM)	Mulch	M142514
26” (660.4 MM)	2-1/2” (63.5 MM)	13/16” (20.64 MM)	13/64” (5.16 MM)	11/16” (17.46 MM)	Standard	M44542

Length	Width	Height	Thickness	Hole Size	Lift	Blade Number
26” (660.4 MM)	2-1/2” (63.5 MM)	27/32” (21.43 MM)	13/64” (5.16 MM)	11/16” (17.46 MM)	Low	M71341
26” (660.4 MM)	2-1/2” (63.5 MM)	1-1/8” (28.58 MM)	13/64” (5.16 MM)	11/16” (17.46 MM)	Medium	M71342
26” (660.4 MM)	2-1/2” (63.5 MM)	1-3/8” (35.93 MM)	13/64” (5.16 MM)	11/16” (17.46 MM)	High Lift	M71343
27” (685.8 MM)	2-1/2” (63.5 MM)	1” (25.4 MM)	5/16” (7.94 MM)	29/32” (23.02 MM)	Standard	M70600
27-1/16” (687.4 MM)	2-1/2” (63.5 MM)	1-1/8” (28.58 MM)	1/4” (6.35 MM)	1” (25.4 MM)	Standard	M96827
28” (711.2 MM)	2-1/2” (63.5 MM)	13/16” (20.64 MM)	13/64” (5.16 MM)	11/16” (17.46 MM)	Standard	M44543
28” (711.2 MM)	2-1/2” (63.5 MM)	1-3/32” (27.9 MM)	3/16” (4.77 MM)	11/16” (17.46 MM)	High	M47275
29-1/4” (742.7 MM)	2-1/2” (63.5 MM)	25/32” (20.2 MM)	13/64” (5.16 MM)	11/16” (17.46 MM)	Mulch	M118958
30” (762 MM)	2-1/2” (63.5 MM)	3/16” (5 MM)	13/64” (5.16 MM)	11/16” (17.46 MM)	Very Low	M74448
30” (762 MM)	2-1/2” (63.5 MM)	1-1/8” (28.58 MM)	13/64” (5.16 MM)	11/16” (17.46 MM)	Medium	M89454
30” (762 MM)	2-1/2” (63.5 MM)	1-3/8” (35.93 MM)	13/64” (5.16 MM)	11/16” (17.46 MM)	High	M89455
30-3/64” (762.9 MM)	2-1/2” (63.5 MM)	55/64” (21.5 MM)	7/32” (5.18 MM)	11/16” (17.53 MM)	Low	M89456