

# CV Guard Kit

BM23309



**JOHN DEERE**

## INSTALLATION INSTRUCTIONS

### CV Guard Kit

M168757 12MAY20 (ENGLISH)

RSX850i, RSX860E, RSX860i, RSX860M, XUV550, XUV550  
S4, XUV560, XUV560 S4, XUV560E, XUV560E S4, XUV590E,  
XUV590E S4, XUV590i, XUV590i S4, XUV590M, and  
XUV590M S4 Gator™ Utility Vehicles

**John Deere Horicon Works**  
**M168757 (12MAY20)**

PRINTED IN U.S.A.  
COPYRIGHT © 2020  
DEERE & COMPANY  
Moline, Illinois

All rights reserved.  
A John Deere ILLUSTRATION™ Manual  
Previous Editions  
Copyright © 2012

M168757-19-12MAY20



### Parts in Kit

Quantity	Description
1	Right Rear Guard
1	Left Rear Guard
1	Right Front Guard
1	Left Front Guard
6	Carriage Bolt, M8x25
6	Carriage Bolt, M8x45
12	Locknut, M8

*NOTE: Retain these installation instructions with the machine operator's manual.*

BVVM5IT,00002C3 -19-05MAY20-1/1

### Parking Safely

Park the machine safely. See Parking Safely in your Operator's Manual.


MX88017,0000007 -19-17OCT19-1/1

### Prepare Machine

1. Park machine safely. (See 'Parking Safely'.)
2. Remove hardware (A) and CV guards (B) on both sides of front and rear of machine.

A— Hardware (2 used)

B— CV Guard (2 used)



MXT004530 —UN—22JUN12

*Right Front CV Guard With Wheel Removed*


BVVM5IT,00002C4 -19-11MAY20-1/1

### Install Front CV Guards

1. Position right front CV guard (A) as shown.
2. Install carriage bolts (B) through the right front CV guard (A), and secure with the locknuts. Tighten the locknuts.
3. Repeat procedure on the left side of the machine.

A— Right Front CV Guard

B— Carriage Bolt, M8x45 (3 used)



MXT004531 —UN—22JUN12

*Right Front CV Guard With Wheel Removed*


BVVM5IT,00002C5 -19-05MAY20-1/1

## Install Rear CV Guards

1. Position left rear CV guard (A) as shown.
2. Install carriage bolts (B) through the left rear CV guard (A), and secure with the locknuts. Tighten the locknuts.
3. Repeat procedure on the right side of the machine.

**A**— Left Rear CV Guard

**B**— Carriage Bolt, M8x25 (3 used)



*Left Rear CV Guard With Wheel Removed*

MXT004532 —UN—22JUN12

BVMSIT,00002C6 -19-05MAY20-1/1